

Straumann® BLX Implant System

INTERNATIONAL EDITION

# Product Catalog 2019/2020

# List of abbreviations

<b>ABS</b>	Acrylonitrile butadiene styrene
<b>ADLC</b>	Amorphous diamond-like carbon
<b>Al</b>	Aluminum
<b>AS</b>	Angled Solution
<b>BL</b>	Bone Level
<b>BLT</b>	Bone Level Tapered
<b>CI</b>	Ceramic Implant
<b>CIM</b>	Ceramic Implant Monotype
<b>EDTA</b>	Ethylenediaminetetraacetic acid
<b>EMD</b>	Enamel matrix derivative
<b>HT</b>	High Translucent
<b>LDPE</b>	Low-density polyethylene
<b>LT</b>	Low Translucent
<b>MI</b>	Mini Implant
<b>MO 0</b>	Medium Opacity 0
<b>MO 1</b>	Medium Opacity 1
<b>NC</b>	Narrow CrossFit® = implant diameter 3.3 mm, BL and BLT implants
<b>Ncm</b>	Newton centimeter, measurement for torque
<b>ND</b>	Narrow Diameter = implant shoulder diameter 3.5 mm, Straumann® PURE Ceramic Implants
<b>NN</b>	Narrow Neck = implant shoulder diameter 3.5 mm, SP implants
<b>NNC</b>	Narrow Neck CrossFit® = implant diameter 3.3 mm, implant shoulder diameter 3.5 mm, SP implants
<b>PA</b>	Polyamide
<b>PC</b>	Polycarbonate
<b>PEEK</b>	Polyetheretherketone
<b>PMMA</b>	Polymethylmethacrylate
<b>POM</b>	Polyoxymethylene
<b>PPS</b>	Polyphenylene sulfide
<b>PS</b>	Polystyrene
<b>PSU</b>	Polysulfone
<b>RC</b>	Regular CrossFit® = implant diameter 4.1 and 4.8 mm, BL and BLT implants
<b>RD</b>	Regular Diameter = implant shoulder diameter 4.8 mm, Straumann® PURE Ceramic Implants
<b>RN</b>	Regular Neck = implant shoulder diameter 4.8 mm, S/SP/TE implants
<b>S</b>	Standard
<b>SC</b>	Small CrossFit® = implant diameter 2.9 mm, BLT implants
<b>SCS</b>	Screw Carrying System
<b>SP</b>	Standard Plus
<b>TAN</b>	Titanium-aluminum-niobium alloy
<b>TAV</b>	Titanium-aluminum-vanadium alloy
<b>TE</b>	Tapered Effect
<b>Ti</b>	Titanium
<b>Ti-N</b>	Titanium nitride
<b>TiZr</b>	Titanium-zirconium alloy (Roxolid®)
<b>TS</b>	Transversal screw retention
<b>WN</b>	Wide Neck = implant shoulder diameter 6.5 mm, S/SP/TE implants
<b>xxx.xxx-04</b>	Pack of 4
<b>xxx.xxxV2</b>	Pack of 2
<b>xxx.xxxV4</b>	Pack of 4
<b>xxx.xxxV5</b>	Pack of 5
<b>xxx.xxxV10</b>	Pack of 10
<b>xxx.xxxV20</b>	Pack of 20
<b>ZrO2</b>	Zirconium dioxide

Table of Contents



Surgery	5
BLX Implants	6

Surgery



Prosthetics	11
BLX Prosthetics	12

Prosthetics



Instruments and Accessories	35
Surgery	36
Prosthetics	44


Instruments and Accessories



Information and Index	51
Index	52

Information and Index





When searching the "Implants" chapter, first select the type of implant – BLX Regular Base (RB) or BLX Wide Base (WB). Then specify the desired implant diameter. These are marked by colored rectangles on the side tabs of each page. Instruments and accessories can be found in the corresponding chapter.

### **Straumann® BLX: Confidence beyond Immediacy**

The Straumann® BLX Implant System is the next generation solution for confidence beyond immediacy.

Straumann® BLX has been designed for immediacy, and is also suitable for all other treatment protocols – ranging from immediate to conventional placement and loading – to suit the dentist's preference. The intelligent implant concept allows for Straumann Dynamic Bone Management and is designed for immediate protocols in all bone types. With a simplified but versatile portfolio, featuring one connection and under-contoured prosthetics to deliver esthetics with ease.

Straumann® BLX, the winning combination of innovative design and surface technology with high-performance material designed for predictable results you can trust.

## Surgery

<b>BLX Implants</b>	<b>6</b>
<b>Regular Base (RB)</b>	<b>6</b>
Implants	6
Implants and Closure Caps	7
<b>Wide Base (WB)</b>	<b>8</b>
Implants	8
Implants and Closure Caps	9



## Roxolid® SLActive®

Surgery	Product	Platform	Image	Material	Length	Art.-No.
	Straumann® BLX Implant Ø 3.5 mm	RB – Regular Base Ø 3.5 mm		Roxolid®	8 mm	061.3308
					10 mm	061.3310
					12 mm	061.3312
					14 mm	061.3314
					16 mm	061.3316
					18 mm	061.3318
	Straumann® BLX Implant Ø 3.75 mm	RB – Regular Base Ø 3.75 mm			6 mm	061.4306
					8 mm	061.4308
					10 mm	061.4310
					12 mm	061.4312
					14 mm	061.4314
					16 mm	061.4316
	Straumann® BLX Implant Ø 4.0 mm	RB – Regular Base Ø 4.0 mm			18 mm	061.4318
					6 mm	061.5306
					8 mm	061.5308
					10 mm	061.5310
					12 mm	061.5312
					14 mm	061.5314
	Straumann® BLX Implant Ø 4.5 mm	RB – Regular Base Ø 4.5 mm			16 mm	061.5316
					18 mm	061.5318
					6 mm	061.6306
					8 mm	061.6308
					10 mm	061.6310
					12 mm	061.6312
					14 mm	061.6314
					16 mm	061.6316
					18 mm	061.6318




## Roxolid® SLA®

Product	Platform	Image	Material	Length	Art.-No.
Straumann® BLX Implant Ø 3.5 mm	RB – Regular Base Ø 3.5 mm		Roxolid®	8 mm	061.3508
				10 mm	061.3510
				12 mm	061.3512
				14 mm	061.3514
				16 mm	061.3516
				18 mm	061.3518
Straumann® BLX Implant Ø 3.75 mm	RB – Regular Base Ø 3.75 mm			6 mm	061.4506
				8 mm	061.4508
				10 mm	061.4510
				12 mm	061.4512
				14 mm	061.4514
				16 mm	061.4516
Straumann® BLX Implant Ø 4.0 mm	RB – Regular Base Ø 4.0 mm			18 mm	061.4518
				6 mm	061.5506
				8 mm	061.5508
				10 mm	061.5510
				12 mm	061.5512
				14 mm	061.5514
Straumann® BLX Implant Ø 4.5 mm	RB – Regular Base Ø 4.5 mm		16 mm	061.5516	
			18 mm	061.5518	
			6 mm	061.6506	
			8 mm	061.6508	
			10 mm	061.6510	
			12 mm	061.6512	
	14 mm	061.6514			
	16 mm	061.6516			
	18 mm	061.6518			

Surgery




## RB Closure Cap

Product	Image	Description	Height	Material	Art.-No.
Closure Caps					
RB Closure Cap			0,4 mm	Ti	064.41005



## Roxolid® SLActive®




Surgery

Product	Platform	Image	Material	Length	Art.-No.
Straumann® BLX Implant Ø 5.0 mm	WB – Wide Base Ø 5.0 mm		Roxolid®	6 mm	061.7306
				8 mm	061.7308
				10 mm	061.7310
				12 mm	061.7312
				14 mm	061.7314
				16 mm	061.7316
				18 mm	061.7318
Straumann® BLX Implant Ø 5.5 mm	WB – Wide Base Ø 5.5 mm			6 mm	061.8306
				8 mm	061.8308
				10 mm	061.8310
				12 mm	061.8312
Straumann® BLX Implant Ø 6.5 mm	WB – Wide Base Ø 6.5 mm			6 mm	061.9306
				8 mm	061.9308
				10 mm	061.9310
				12 mm	061.9312







**Roxolid® SLA®**

Product	Platform	Image	Material	Length	Art.-No.
Straumann® BLX Implant Ø 5.0 mm	WB – Wide Base Ø 5.0 mm		Roxolid®	6 mm	061.7506
				8 mm	061.7508
				10 mm	061.7510
				12 mm	061.7512
				14 mm	061.7514
				16 mm	061.7516
				18 mm	061.7518
Straumann® BLX Implant Ø 5.5 mm	WB – Wide Base Ø 5.5 mm			6 mm	061.8506
				8 mm	061.8508
				10 mm	061.8510
				12 mm	061.8512
Straumann® BLX Implant Ø 6.5 mm	WB – Wide Base Ø 6.5 mm			6 mm	061.9506
				8 mm	061.9508
				10 mm	061.9510
				12 mm	061.9512

**Surgery**
**WB Closure Cap**

Product	Image	Description	Height	Material	Art.-No.
<b>Closure Caps</b>					
WB Closure Cap			0,5 mm	Ti	064.81025





When searching for prosthetic components, first specify between Regular Base (RB) and Wide Base (WB) implants. RB/WB abutments fit both RB and WB implants. WB abutments only fit WB implants. In this section, you will find prosthetics components, ranging from single crown to hybrid restoration. Instruments and accessories can be found in the "Instruments and Accessories" chapter.

## More than just highest precision: a perfectly adjusted system

Straumann offers a wide variety of **implant-borne prosthetic solutions** for **all indications** – ranging from single tooth restorations to edentulous solutions. Our high-quality connection solutions, Straumann® TorcFit™, ensure **safe positioning** of the abutment on the implant and therefore **long-lasting stability**. A broad range of materials combined with a choice of screw-retained, cemented and hybrid restorations complete our portfolio.

### Original on original

Straumann knows all dimensions, tolerances and materials of all Straumann implants. With this knowledge we tune the design of implants and prosthetic components perfectly to each other. High precision in manufacturing and thorough testing processes ensure the consistent quality of all original Straumann components.

### Straumann® CARES® for individual CAD/CAM prosthetics




Straumann® CARES® offers you prosthetic solutions from single tooth restorations to tooth-borne dental bridges, all the way to implant-borne restorations. This is complemented by a comprehensive choice of materials and simple processes. This means precision, a high degree of efficiency and highly aesthetic results in every single product.

## Prosthetics




<b>BLX Prosthetics</b>	<b>12</b>
<b>RB/WB Prosthetic</b>	<b>12</b>
Impression-taking/Master Cast Fabrication	12
Healing Abutments	13
Crowns and Bridges	15
Hybrid	26
<b>WB Prosthetic</b>	<b>29</b>
Impression-taking/Master Cast Fabrication	29
Healing Abutments	30
Crowns and Bridges	31




## Impression Posts

Product	Image	Description	Material	Art.-No.
Impression Posts and Analog				
RB Impression Post Open Tray		short, with guide screw, length 16.5 mm	TAN	065.0031
		long, with guide screw, length 24 mm		065.0033
RB Impression Post Closed Tray		with guide screw, length 13 mm		065.4310

## Digital Impression













Product	Image	Description	Material	Art.-No.
Digital Impression				
RB/WB CARES® Mono Scanbody		Ø 3.8 mm, height 10 mm	PEEK/TAN	065.0035
RB Repositionable Implant Analog		for fully digital workflow, length 17 mm	Stainless steel	065.0023
ScanPost S RB/WB L		for Dentsply® Sirona®	TAN	065.0038

## Analogs

Product	Image	Description	Material	Art.-No.
Analog				
RB Implant Analog		length 12 mm	TAN	065.0021









## Healing Abutments

Product	Image	Description	Material	Art.-No.
Healing Abutments, Crown				
RB/WB Healing Abutment		Crown, Ø 4 mm, gingiva height 1.5 mm, abutment height 2 mm, for final abutments Ø 3.8 mm	Ti	064.4202S
		Crown, Ø 4 mm, gingiva height 1.5 mm, abutment height 4 mm, for final abutments Ø 3.8 mm		064.4203S
		Crown, Ø 4 mm, gingiva height 2.5 mm, abutment height 2 mm, for final abutments Ø 3.8 mm		064.4204S
		Crown, Ø 4 mm, gingiva height 2.5 mm, abutment height 4 mm, for final abutments Ø 3.8 mm		064.4205S
		Crown, Ø 4 mm, gingiva height 3.5 mm, abutment height 2 mm, for final abutments Ø 3.8 mm		064.4206S
		Crown, Ø 4 mm, gingiva height 3.5 mm, abutment height 4 mm, for final abutments Ø 3.8 mm		064.4207S
		Crown, Ø 5 mm, gingiva height 1.5 mm, abutment height 2 mm, for final abutments Ø 4.5 mm		064.4212S
		Crown, Ø 5 mm, gingiva height 1.5 mm, abutment height 4 mm, for final abutments Ø 4.5 mm		064.4213S
		Crown, Ø 5 mm, gingiva height 2.5 mm, abutment height 2 mm, for final abutments Ø 4.5 mm		064.4214S
		Crown, Ø 5 mm, gingiva height 2.5 mm, abutment height 4 mm, for final abutments Ø 4.5 mm		064.4215S
		Crown, Ø 5 mm, gingiva height 3.5 mm, abutment height 2 mm, for final abutments Ø 4.5 mm		064.4216S
		Crown, Ø 5 mm, gingiva height 3.5 mm, abutment height 4 mm, for final abutments Ø 4.5 mm		064.4217S













## Healing Abutments

Product	Image	Description	Material	Art.-No.
RB/WB Healing Abutment		Crown, Ø 6.5 mm, gingiva height 1.5 mm, abutment height 2 mm, for final abutments Ø 6.0 mm	Ti	064.4222S
		Crown, Ø 6.5 mm, gingiva height 1.5 mm, abutment height 4 mm, for final abutments Ø 6.0 mm		064.4223S
		Crown, Ø 6.5 mm, gingiva height 2.5 mm, abutment height 2 mm, for final abutments Ø 6.0 mm		064.4224S
		Crown, Ø 6.5 mm, gingiva height 2.5 mm, abutment height 4 mm, for final abutments Ø 6.0 mm		064.4225S
		Crown, Ø 6.5 mm, gingiva height 3.5 mm, abutment height 2 mm, for final abutments Ø 6.0 mm		064.4226S
		Crown, Ø 6.5 mm, gingiva height 3.5 mm, abutment height 4 mm, for final abutments Ø 6.0 mm		064.4227S

Healing Abutments, Bridge				
RB/WB Healing Abutment		Bridge/Bar, Ø 5 mm, gingiva height 1.5 mm, abutment height 2 mm, for final abutments Ø 4.5 mm	Ti	064.4232S
		Bridge/Bar, Ø 5 mm, gingiva height 1.5 mm, abutment height 4 mm, for final abutments Ø 4.5 mm		064.4233S



## Temporary Restorations





Product	Image	Description	Material	Art.-No.
<b>Temporary Abutments</b>				
RB/WB Temporary Abutment		for crowns, Ø 3.8 mm, gingiva height 1.5 mm	TAN	064.4362
		for crowns, Ø 3.8 mm, gingiva height 2.5 mm		064.4363
		for crowns, Ø 3.8 mm, gingiva height 3.5 mm		064.4364
		for crowns, Ø 4.5 mm, gingiva height 1.5 mm		064.4372
		for crowns, Ø 4.5 mm, gingiva height 2.5 mm		064.4373
		for crowns, Ø 4.5 mm, gingiva height 3.5 mm		064.4374
		for crowns, Ø 6 mm, gingiva height 2.5 mm		064.4382
		for crowns, Ø 6 mm, gingiva height 3.5 mm		064.4383
RB/WB Temporary Abutment for Bridge/Bar		for bridges, Ø 4.5 mm, gingiva height 1.5 mm, abutment height 5.5 mm		064.4352
<b>Replacement Screw</b>				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036

## Cement-Retained Restoration, Anatomic Abutments

Product	Image	Description	Material	Art.-No.
Anatomic Abutments, Titanium				
RB/WB Anatomic Abutment		straight, gingiva height 2.5 mm	TAN	062.4103
		straight, gingiva height 3.5 mm		062.4104
		angled, angulation 17°, gingiva height 2.5 mm		062.4153
		angled, angulation 17°, gingiva height 3.5 mm		062.4154
Replacement Screw				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036



## Cement or Screw-retained Restoration, Gold Abutments




Product	Image	Description	Material	Art.-No.
Gold Abutment				
RB/WB Gold Abutment		for crowns, including screw 065.0036, gingiva height 1.5 mm, Ø 3.8 mm	Ceramicor®/ POM	062.4410
		for crowns, including screw 065.0036, gingiva height 1.5 mm, Ø 4.5 mm		062.4420
RB/WB Gold Abutment for Bridge/Bar		for bridges, including screw 065.0036, gingiva height 1.5 mm, Ø 4.5 mm		062.4430
Replacement Screw				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036

Ceramicor® is a non-oxidizing precious metal alloy for casting on precious metal alloys.





## Cement or Screw-retained Restoration, CAD/CAM

Product	Image	Description	Material	Art.-No.
<b>Replacement Screws</b>				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036
RB/WB Basal Screw AS		for RB/WB Variobase® Crown AS, length 6.5 mm, only compatible with AS Screwdriver (green color-coding)		065.0037
Occlusal Screw		for Titanium, Gold, Burn-Out and Variobase® Copings for Screw-retained Abutments, length 3.7 mm		023.4763

**Straumann® CARES® CAD/CAM**

- Customized solutions ranging from individual tooth restorations to tooth-borne bridges to implant-borne restorations
- Wide range of applications and choice of materials
- Access to premium customized genuine Straumann® CARES® abutments through Straumann® CARES® Scan & Shape, without additional hardware and software investments
- Customized solutions for all indications
- Additional information at [www.straumann.com](http://www.straumann.com)















## Cement or Screw-retained Restoration, Variobase®

Product	Image	Description	Material	Art.-No.
Variobase® Abutments				
RB/WB Variobase® for Crown		including screw, Ø 3.8 mm, gingiva height 1.5 mm, abutment height 5.5 mm	TAN	062.4934
		including screw, Ø 3.8 mm, gingiva height 2.5 mm, abutment height 5.5 mm		062.4935
		including screw, Ø 3.8 mm, gingiva height 3.5 mm, abutment height 5.5 mm		062.4936
		including screw, Ø 4.5 mm, gingiva height 1.5 mm, abutment height 5.5 mm		062.4944
		including screw, Ø 4.5 mm, gingiva height 2.5 mm, abutment height 5.5 mm		062.4945
		including screw, Ø 4.5 mm, gingiva height 3.5 mm, abutment height 5.5 mm		062.4946
RB/WB Variobase® C *		for Dentsply® Sirona®, including screw 065.0036, Ø 3.8 mm, gingiva height 1.5 mm	TAN	062.4981
		for Dentsply® Sirona®, including screw 065.0036, Ø 4.5 mm, gingiva height 1.5 mm		062.4982
RB/WB Variobase® for Bridge/Bar Cylindrical		including screw and Cementation Aid 3, Ø 4.5 mm, gingiva height 1.5 mm, abutment height 3.5 mm		062.4961
RB/WB Variobase® for Crown AS		including screw, Ø 4.5 mm, gingiva height 1.5 mm, abutment height 5.5 mm		062.4972
Burn-out Copings				
RB/WB Burn-out Coping		for Variobase® for Crown, Ø 3.8 mm, abutment height 5.5 mm	POM	065.0014
		for Variobase® for Crown, Ø 4.5 mm, abutment height 5.5 mm		065.0015
RB/WB Burn-out Coping for Bridge/Bar		for Variobase® for Bridge/Bar, Ø 4.5 mm, abutment height 3.5 mm	POM	065.0017
		for Variobase® for Bridge/Bar, Ø 4.5 mm, abutment height 3.5 mm, packaging 4 pieces		065.0017V4
Burn-out Copings AS				
RB/WB Burn-out Coping		angulation 25°, for Variobase® for Crown AS, Ø 4.5 mm, abutment height 5.5 mm	POM	065.0018
Replacement Screw				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036
RB/WB Basal Screw AS		for RB/WB Variobase® Crown AS, length 6.5 mm, only compatible with AS Screwdriver (green color-coding)		065.0037

\* available starting Q2 2020




















## Screw-retained Restoration with Screw-retained Abutment, Abutments, sterile

Product	Image	Description	Material	Art.-No.
Screw-retained Abutments 0°, sterile				
RB/WB Screw-retained Abutment		straight, angulation 0°, Ø 4.6 mm, gingiva height 1.5 mm, sterile	TAN	062.4722S
		straight, angulation 0°, Ø 4.6 mm, gingiva height 2.5 mm, sterile		062.4723S
		straight, angulation 0°, Ø 4.6 mm, gingiva height 3.5 mm, sterile		062.4724S
		straight, angulation 0°, Ø 4.6 mm, gingiva height 4.5 mm, sterile		062.4725S
Screw-retained Abutments 17°, sterile				
RB/WB Screw-retained Abutment		angled, angulation 17°, Ø 4.6 mm, gingiva height 3.5 mm, sterile	TAN	062.4733S
		angled, angulation 17°, Ø 4.6 mm, gingiva height 4.5 mm, sterile		062.4734S
		angled, angulation 17°, Ø 4.6 mm, gingiva height 5.5 mm, sterile		062.4735S
Screw-retained Abutments 30°, sterile				
RB/WB Screw-retained Abutment		angled, angulation 30°, Ø 4.6 mm, gingiva height 3.5 mm, sterile	TAN	062.4743S
		angled, angulation 30°, Ø 4.6 mm, gingiva height 4.5 mm, sterile		062.4744S
		angled, angulation 30°, Ø 4.6 mm, gingiva height 5.5 mm, sterile		062.4745S
Replacement Screws				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036
Occlusal Screw		for Titanium, Gold, Burn-Out and Variobase® Copings for Screw-retained Abutments, length 3.7 mm		023.4763











## Screw-retained Restoration with Screw-retained Abutment

Product	Image	Description	Material	Art.-No.
Impression Posts (at abutment level) for Single Crown Restoration (engaging)				
Impression Posts for Open-tray Impression		for Screw-retained Abutments, abutment level, Ø 4.6 mm	TAN	025.2244
Impression Posts for Closed-tray Impression			TAN/POM	025.2246
Impression Posts (at abutment level) for Multi-Unit Restorations (non engaging)				
Impression Posts for Open-tray Impression		for Screw-retained Abutments, abutment level, Ø 4.6 mm	TAN	025.0012
Impression Posts for Closed-tray Impression			TAN/POM	025.0014
Digital Impression				
CARES® Mono Scanbody		for Screw-retained Abutments, abutment level, including Fixation Screw, Ø 4.6 mm	PEEK	025.0001
Repositionable Analog		for Screw-retained Abutments, Ø 4.6 mm	Stainless steel	025.0008
Analog				
Analog for Screw-retained Abutments Ø 4.6 mm		for Screw-retained Abutments Ø 4.6 mm, straight	TAN	023.4756
		for Screw-retained Abutments Ø 4.6 mm, edentulous, straight		025.0050
		for Screw-retained Abutments Ø 4.6 mm, angled, angulation 17°/30°		023.4757
Lab Auxiliaries				
Polishing Aid		for Screw-retained Abutments, Ø 4.6 mm	TAN	025.0005
		packaging 4 pieces		025.0005V4
Lab Processing Screw		for Screw-retained Abutments, length 20 mm	Stainless steel	025.0006
Lab Processing Screw		for Screw-retained Abutments, length 10 mm		025.0052
Protective Caps				
Protective Cap Ø 4.6 mm		for Screw-retained Abutments Ø 4.6 mm, including screw 023.4763, height 5.1 mm, packaging 4 pieces	PEEK	024.4323-04
		for Screw-retained Abutments Ø 4.6 mm, including screw 023.4763, height 6.6 mm, packaging 4 pieces		024.4324-04
		for Screw-retained Abutments Ø 4.6 mm, including screw 023.4763, height 8.1 mm, packaging 4 pieces		024.4325-04
Auxiliary Part				
Straumann® Planning Guide		visual guide for tilted implant placement in Straumann® Pro Arch cases	TAV/Ti	026.0016
Transfer And Alignment Pin		for Screw-retained Abutments	TAN	025.0009



## Screw-retained Restoration with Screw-retained Abutment, Copings

Product	Image	Description	Material	Art.-No.
Variobase® Copings				
Variobase® for Bridge/Bar Cylindrical Coping for Screw-retained Abutments Ø 4.6 mm		for Screw-retained Abutments Ø 4.6 mm, including screw 023.4763 and Cementation Aid 3, Ø 5.1 mm, height 4 mm	TAN	023.0028
Titanium Copings				
Coping for Screw-retained Abutments Ø 4.6 mm		for Screw-retained Abutments Ø 4.6 mm, for crowns, including screw 023.4763, height 11 mm	Ti	023.4747
		for Screw-retained Abutments Ø 4.6 mm, for bridges, including screw 023.4763, height 11 mm		023.4751
Gold Copings				
Coping for Screw-retained Abutments		for Screw-retained Abutments Ø 4.6 mm, for crowns, including screw 023.4763, alloy weight 0.440 g	Ceramicor®/ POM	023.4753
		for Screw-retained Abutments Ø 4.6 mm, for bridges, including screw 023.4763, alloy weight 0.469 g		023.4754
Burn-out Copings				
Burn-out Coping for Screw-retained Abutments		for Screw-retained Abutments Ø 4.6 mm, for crowns, including screw 023.4763, height 11 mm	POM	023.4748
		for Screw-retained Abutments Ø 4.6 mm, for bridges and bars, including screw 023.4763, height 11 mm		023.4758
Replacement Screw				
Occlusal Screw		for Titanium, Gold, Burn-Out and Variobase® Copings for Screw-retained Abutments, length 3.7 mm	TAN	023.4763

Ceramicor® is a non-oxidizing precious metal alloy for casting on precious metal alloys.



## Bar Construction on Screw-retained Abutments, Gold

Product	Image	Description	Material	Art.-No.
Bar Gold Coping Ø 4.6 mm				
Coping for Screw-retained Abutments		for Screw-retained Abutments Ø 4.6 mm, for bars, including screw 023.4763, alloy weight 0.744 g, height 5.5 mm	Ceramicor®	023.4755
Replacement Screw				
Occlusal Screw		for Titanium, Gold, Burn-Out and Variobase® Copings for Screw-retained Abutments, length 3.7 mm	TAN	023.4763
Bar Profile				
Dolder® Bar, Gold		egg-shaped cross-section, mini, length 25 mm, height 2.3 mm, width 1.6 mm	Elitor®	048.411
		egg-shaped cross-section, regular, length 25 mm, height 3 mm, width 2.2 mm		048.412
Bar Matrices				
Dolder® Bar Matrix, Gold		including spacer, mini, length 25 mm, height 2.75 mm, width 3.6 mm	Elitor®/Brass	048.413
		including spacer, regular, length 25 mm, height 3.5 mm, width 4.6 mm		048.414



## Bar Construction on Screw-retained Abutments, Titanium




Product	Image	Description	Material	Art.-No.
Bar Titanium Coping Ø 4.6 mm				
Coping for Screw-retained Abutments		for Screw-retained Abutments Ø 4.6 mm, including screw 023.4763, height 5.5 mm	Ti	023.4752
Replacement Screw				
Occlusal Screw		for Titanium, Gold, Burn-Out and Variobase® Copings for Screw-retained Abutments, length 3.7 mm	TAN	023.4763
Bar Profile				
Dolder® Bar, Titanium		egg-shaped cross-section, mini, length 50 mm, height 2.3 mm, width 1.6 mm	Ti	048.466
		egg-shaped cross-section, regular, length 50 mm, height 3 mm, width 2.2 mm		048.465
Bar Matrices				
Dolder® Bar Matrix, Titanium		includes spacer, mini, length 50 mm, height 2.9 mm, width 2.8 mm	Ti/Brass	048.471
		includes spacer, standard, length 50 mm, height 3.7 mm, width 3.6 mm		048.470



## Bar Construction on Screw-retained Abutments, Plastic

Product	Image	Description	Material	Art.-No.
Bar Burn-out Coping for Ø 4.6 mm				
Burn-out Coping for Screw-retained Abutments		for Screw-retained Abutments Ø 4.6 mm, for bridges and bars, including screw 023.4763, height 11 mm	POM	023.4758
Replacement Screw				
Occlusal Screw		for Titanium, Gold, Burn-Out and Variobase® Copings for Screw-retained Abutments, length 3.7 mm	TAN	023.4763
Bar Profile				
Dolder® Bar, Plastic		egg-shaped cross-section, mini, length 80 mm, height 2.3 mm, width 1.6 mm	PMMA	048.461
		egg-shaped cross-section, regular, length 80 mm, height 3 mm, width 2.2 mm		048.460
Bar Matrices				
Dolder® Bar Matrix, Titanium		includes spacer, mini, length 50 mm, height 2.9 mm, width 2.8 mm	Ti/Brass	048.471
		includes spacer, standard, length 50 mm, height 3.7 mm, width 3.6 mm		048.470





## Tools, Auxiliary Parts for Bar

Product	Image	Description	Material	Art.-No.
Activator Set		for all bar matrices, three-part, length 50 mm	Stainless steel	046.150
Deactivator		for Dolder® Bar Matrix, mini, length 66 mm	Grilon BS/Brass	046.151
		for Dolder® Bar Matrix, standard, length 66 mm		046.152





## Pre-milled Abutment Blanks

Product	Image	Description	Material	Art.-No.
Pre-milled Abutment Blank				
RB/WB Pre-milled Abutment Blank		for Medentika Holder, Ø 11.5 mm	TAN	062.4601
		for Medentika Holder, Ø 15.8 mm		062.4602
		for CARES®, Ø 12 mm		062.4603
Replacement Screws				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036










## Novaloc®

Product	Image	Description	Material	Art.-No.
Impression-taking/Master Cast Fabrication				
Forming/Fixing Matrix		red, packaging 4 pieces	PEEK	2010.722-STM
Model Analog Ø 4 mm		blue, packaging 4 pieces	Al	2010.721-STM
Model analogue		red, angled, angulation 15°, packaging 4 pieces		2010.720-STM
Novaloc® Abutments 0°				
RB/WB Novaloc®		straight, angulation 0°, Ø 3.8 mm, gingiva height 1.5 mm	TAV	062.4501
		straight, angulation 0°, Ø 3.8 mm, gingiva height 2.5 mm		062.4502
		straight, angulation 0°, Ø 3.8 mm, gingiva height 3.5 mm		062.4503
		straight, angulation 0°, Ø 3.8 mm, gingiva height 4.5 mm		062.4504
		straight, angulation 0°, Ø 3.8 mm, gingiva height 5.5 mm		062.4505
		straight, angulation 0°, Ø 3.8 mm, gingiva height 6.5 mm		062.4506
Novaloc® Abutments 15°				
RB/WB Novaloc®		angled, angulation 15°, Ø 3.8 mm, gingiva height 2.5 mm	TAV	062.4507
		angled, angulation 15°, Ø 3.8 mm, gingiva height 3.5 mm		062.4508
		angled, angulation 15°, Ø 3.8 mm, gingiva height 4.5 mm		062.4509
		angled, angulation 15°, Ø 3.8 mm, gingiva height 5.5 mm		062.4510
		angled, angulation 15°, Ø 3.8 mm, gingiva height 6.5 mm		062.4511
		angled, angulation 15°, Ø 3.8 mm, gingiva height 7.5 mm		062.4512
Replacement Screws				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036










## Novaloc® Processing Packages and Matrix Housings

Product	Image	Description	Material	Art.-No.
Processing Packages				
Processing Package Titanium		includes: Titanium Matrix Housing (including Mounting Insert), white Retention Insert (light), yellow Retention Insert (medium), green Retention Insert (strong), Mounting Collar (silicone), packaging 2 pieces	Ti/POM/ PEEK/Silicone	2010.601-STM
Processing Package PEEK		includes: PEEK Matrix Housing including Mounting Insert), white Retention Insert (light), yellow Retention Insert (medium), green Retention Insert (strong), Mounting Collar (silicone), packaging 2 pieces	PEEK/POM/ Silicone	2010.611-STM
Retention Inserts				
Novaloc® Retention Insert		red, extra-light, approx. 300 g, packaging 4 pieces	PEEK	2010.710-STM
		white, light, approx. 750 g, packaging 4 pieces		2010.711-STM
		yellow, medium, approx. 1200 g, packaging 4 pieces		2010.712-STM
		green, strong, approx. 1650 g, packaging 4 pieces		2010.713-STM
		blue, extra-strong, approx. 2100 g, packaging 4 pieces		2010.714-STM
		black, ultra-strong, approx. 2550 g, packaging 4 pieces		2010.715-STM
Matrix Housings				
Matrix Housing, Titanium		including Mounting Insert, packaging 4 pieces	Titanium/ POM	2010.701-STM
Matrix Housing, PEEK			PEEK/POM	2010.702-STM
Matrix Housing with Attachment Option			Titanium/ POM	2010.703-STM






## Novaloc® Tools and Auxiliary Parts

Product	Image	Description	Material	Art.-No.
Equipment Box		includes: Demounting Tool for Mounting Insert and Model Analog Reposition Aid (blue), Mounting and Demounting Tool for Retention Inserts (brown), Matrix Housing Extractor (gray)		2010.101-STM
Processing Spacer		white, packaging 4 pieces	POM	2010.723-STM
Mounting Collar		packaging 10 pieces	Silicone	2010.724-STM
Mounting Insert		packaging 4 pieces	POM	2010.725-STM
Demounting Tool for Mounting Inserts and Model Analog Reposition Aid		blue	Al/Steel	2010.731-STM
Mounting and Demounting Tool for Retention Inserts		brown		2010.741-STM
Matrix Housing Extractor		gray		2010.751-STM




The Novaloc matrix system is also compatible with LOCATOR® abutments.




## Impression Posts

Product	Image	Description	Material	Art.-No.
Impression Posts and Analog				
WB Impression Post Open Tray		short, with guide screw, length 16.5 mm	TAN	065.0032
		long, with guide screw, length 24 mm		065.0034
WB Impression Post Closed Tray		with guide screw, length 13 mm		065.4810

## Digital Impression









Product	Image	Description	Material	Art.-No.
Digital Impression				
RB/WB CARES® Mono Scanbody		Ø 3.8 mm, height 10 mm	PEEK/TAN	065.0035
WB Repositionable Implant Analog		for fully digital workflow, length 17 mm	Stainless steel	065.0024
ScanPost S RB/WB L		for Dentsply® Sirona®	TAN	065.0038

## Analogs

Product	Image	Description	Material	Art.-No.
Analog				
WB Implant Analog		length 12 mm	TAN	065.0022





## Healing Abutments









Product	Image	Description	Material	Art.-No.
Healing Abutments				
WB Healing Abutment		Ø 6 mm, gingiva height 0.75 mm, abutment height 2 mm, for final abutments Ø 4.5 mm	Ti	064.82015
		Ø 6 mm, gingiva height 0.75 mm, abutment height 4 mm, for final abutments Ø 4.5 mm		064.82025
		Ø 7.5 mm, gingiva height 0.75 mm, abutment height 2 mm, for final abutments Ø 4.5 mm		064.82035
		Ø 7.5 mm, gingiva height 0.75 mm, abutment height 4 mm, for final abutments Ø 4.5 mm		064.82045
		Ø 6 mm, gingiva height 1.5 mm, abutment height 2 mm, for final abutments Ø 4.5 mm		064.82125
		Ø 6 mm, gingiva height 1.5 mm, abutment height 4 mm, for final abutments Ø 4.5 mm		064.82135
		Ø 7.5 mm, gingiva height 1.5 mm, abutment height 2 mm, for final abutments Ø 4.5 mm		064.82145
		Ø 7.5 mm, gingiva height 1.5 mm, abutment height 4 mm, for final abutments Ø 4.5 mm		064.82155



## Temporary Restorations

Product	Image	Description	Material	Art.-No.
Temporary Abutments				
WB Temporary Abutment		for crowns, Ø 5.5 mm, gingiva height 0.75 mm	TAN	064.4391
		for crowns, Ø 5.5 mm, gingiva height 1.5 mm		064.4392
Replacement Screw				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036



## Cement or Screw-retained Restoration, Variobase®

Product	Image	Description	Material	Art.-No.
Variobase® Abutments				
WB Variobase® for Crown		including screw, Ø 5.5 mm, abutment height 5.5 mm, gingiva height 0.75 mm	TAN	062.4953
		including screw, Ø 5.5 mm, abutment height 5.5 mm, gingiva height 1.5 mm		062.4954
WB Variobase® C *		for Dentsply® Sirona®, including screw 065.0036, Ø 5.5 mm, gingiva height 1.5 mm		062.4983
WB Variobase® for Crown AS		including screw, Ø 5.5 mm, abutment height 5.5 mm, gingiva height 1.5 mm		062.4971
Burn-out Copings				
WB Burn-out Coping		for Variobase® for Crown, Ø 5.5 mm, abutment height 5.5 mm	POM	065.0016
Burn-out Copings AS				
WB Burn-out Coping		angulation 25°, for Variobase® for Crown AS, Ø 5.5 mm, abutment height 5.5 mm	POM	065.0019
Replacement Screw				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036
RB/WB Basal Screw AS		for RB/WB Variobase® Crown AS, length 6.5 mm, only compatible with AS Screwdriver (green color-coding)		065.0037

\* available starting Q2 2020



## Cement or Screw-retained Restoration, Gold Abutments





Product	Image	Description	Material	Art.-No.
<b>Gold Abutment</b>				
WB Gold Abutment		for crowns, including screw 065.0036, Ø 5.5 mm, gingiva height 1.5 mm	Ceramicor®/ POM	062.8410
<b>Replacement Screw</b>				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036

Ceramicor® is a non-oxidizing precious metal alloy for casting on precious metal alloys.





## Pre-milled Abutment Blanks

Product	Image	Description	Material	Art.-No.
Pre-milled Abutment Blank				
WB Pre-milled Abutment Blank		for Medentika Holder, Ø 11.5 mm	TAN	062.4605
		for Medentika Holder, Ø 15.8 mm		062.4606
		for CARES®, Ø 12 mm		062.4607
Replacement Screw				
RB/WB Basal Screw		for RB/WB Temporary Abutments, Anatomic Abutments, Variobase® for Crown, Variobase® for Bridge/Bar Cylindrical, angled Screw-retained Abutments, Pre-milled Abutment Blanks, Gold Abutments, and angled Novaloc® Abutments, length 6.1 mm	TAN	065.0036





In this chapter you will find a comprehensive list of instruments and accessories for implants and prosthetic treatments.

## More than just accessories: the basis of flawless execution

On the following pages, you will find **all the important instruments and demonstration materials** that complement the Straumann® BLX surgical and prosthetics portfolio, from drills and surgical cassettes to prosthetic auxiliary parts, screws and storage systems.

### Straumann® Modular Cassette Selection Guide

The selection guide helps to define the required Modular Cassette parts and instruments needed for a specific indication. Each chapter includes an order list as well as a set-up overview which shows how to assemble the parts.



Art. Nr. 707824

## Instruments and Accessories

<b>Surgery</b>	<b>36</b>
Planning Aids	36
Implant Bed Preparation Instruments	37
Instruments and Tools	39
Guided Surgery	41
<b>Prosthetics</b>	<b>44</b>
Prosthetic Tools	44
Storage Systems and Cassettes	46





## Planning Aids

















Product	Image	Description	Material	Art.-No.
<b>X-ray Reference Sphere</b>				
X-ray Reference Sphere		Ø 5 mm, packaging 4 pieces, for single use	Stainless steel	049.076V4
<b>X-ray Templates</b>				
X-ray Reference Foil		for BLX Implants		065.0000



## Needle Drills







Product	Image	Description	Material	Art.-No.
<b>Needle Drills</b>				
Needle Drill		short, Ø 1.6 mm, length 33 mm	Stainless steel	026.0054
		long, Ø 1.6 mm, length 41 mm		026.0056

## VeloDrill™





Product	Image	Description	Material	Art.-No.
<b>X VeloDrill™</b>				
X Pilot VeloDrill™		short, Ø 2.2 mm, length 34 mm	Stainless steel	066.1301
X VeloDrill™		short, Ø 2.8 mm, length 34 mm		066.1302
		short, Ø 3.2 mm, length 34 mm		066.1303
		short, Ø 3.5 mm, length 34 mm		066.1304
		short, Ø 3.7 mm, length 34 mm		066.1305
		short, Ø 4.2 mm, length 34 mm		066.1306
		short, Ø 4.7 mm, length 34 mm		066.1307
		short, Ø 5.2 mm, length 34 mm		066.1308
		short, Ø 6.2 mm, length 34 mm		066.1309
X Pilot VeloDrill™		long, Ø 2.2 mm, length 42 mm		066.1701
X VeloDrill™		long, Ø 2.8 mm, length 42 mm		066.1702
		long, Ø 3.2 mm, length 42 mm		066.1703
		long, Ø 3.5 mm, length 42 mm		066.1704
		long, Ø 3.7 mm, length 42 mm		066.1705
		long, Ø 4.2 mm, length 42 mm		066.1706
		long, Ø 4.7 mm, length 42 mm		066.1707



## Alignment Pins and Depth Gauges


















Product	Image	Description	Material	Art.-No.
<b>Alignment Pins and Depth Gauges</b>				
Alignment Pin		length 27 mm, Ø 2.2 mm	TAN	046.799
Depth Gauge		length 27 mm, Ø 2.8 mm		046.800
		length 27 mm, Ø 3.2 mm		046.801
		length 27 mm, Ø 3.5 mm		046.802
		length 27 mm, Ø 3.7 mm		046.803
		length 27 mm, Ø 4.2 mm		046.804
		length 27 mm, Ø 4.7 mm		046.805
		length 27 mm, Ø 5.2 mm		046.806
		length 27 mm, Ø 6.2 mm		046.807
Implant Depth Gauge		Ø 1.5/2.0 mm		066.2000

## Bone Profilers

Product	Image	Description	Material	Art.-No.
<b>Bone Profilers for Bone Level</b>				
BL Bone Profiler 1		length 23 mm, Ø 5.2 mm	Stainless steel	026.0022
BL Bone Profiler 2		length 23 mm, Ø 6.6 mm		026.0023
BL Bone Profiler 3		length 23 mm, Ø 6 mm		026.0024
BLX Guiding Cylinder		for Bone Profiler, length 10.8 mm, Ø 2.9 mm	TAN	066.00255




















## Auxiliary Instruments

Product	Image	Description	Material	Art.-No.
Implant Drivers				
TorcFit™ Implant Driver		Surgical Handle	Stainless steel	066.4000
		for handpiece, short, length 21 mm		066.4101
		for handpiece, medium, length 26 mm *		066.4107
		for handpiece, long, length 31 mm		066.4102
		for handpiece, extra long, length 36 mm *		066.4108
		for Ratchet, short, length 21 mm		066.4201
		for Ratchet, medium, length 26 mm *		066.4207
		for Ratchet, long, length 31 mm		
TorcFit™ Implant Driver screw-retained		for Ratchet, screw-retained, short		066.4205
		for Ratchet, screw-retained, long		066.4206
Instruments				
Ratchet		including Service Instruments, length 84 mm	Stainless steel	046.119
Torque Control Device		for Ratchet, length 82 mm		046.049
BLX Torque Control Device		for Ratchet, surgical		066.1100
Holding Key		length 85 mm		046.064
Cleaning Brush		for Ratchet, length 100 mm, Ø 4.5 mm, packaging 4 pieces	Stainless steel/Nylon	045.111V4
Instrument Tweezers		length 140 mm	Stainless steel	046.110
Tweezers		with titanium plasma-coated tips, length 105 mm	Stainless steel/Ti	046.095

\* available starting Q2 2020







## Auxiliary Instruments

Product	Image	Description	Material	Art.-No.
Screwdrivers				
SCS Screwdriver		for Ratchet, extra short, length 15 mm	Stainless steel	046.400
		for Ratchet, short, length 21 mm		046.401
		for Ratchet, long, length 27 mm		046.402
		for handpiece, extra-short, length 20 mm		046.410
		for handpiece, short, length 26 mm		046.411
		for handpiece, long, length 32 mm		046.412
AS Screwdriver		for Ratchet, extra-short, length 15 mm		046.786
		for Ratchet, short, length 21 mm		046.787
		for Ratchet, long, length 27 mm		046.788
		for handpiece, extra-short, length 20 mm		046.789
		for handpiece, short, length 26 mm		046.790
		for handpiece, long, length 32 mm		046.791
AS Screwdriver Handling Aid				046.792
Abutment removal kit				
RB/WB Abutment-Removal Screw		to push out Abutments, which cannot be removed from the implant due to friction	TAN	065.0007
Removal Tool		for RB/WB Basal Screw, left-hand, length 27 mm	Stainless steel	065.0008
		for RB/WB Basal Screw, left-hand, length 21 mm		065.0009
Miscellaneous Auxiliary Instruments				
Drill Extender		length 23 mm	Stainless steel	040.563





## Guided Surgery Templates























Product	Image	Description	Material	Art.-No.
<b>Sleeves for Straumann® Guided Surgery</b>				
T-Sleeve		self-locking, guided, height 5 mm, Ø 5 mm, packaging 4 pieces	PEEK	034.299V4
		guided, height 6 mm, Ø 2.8 mm, packaging 4 pieces	Stainless steel	034.055V4
		guided, height 6 mm, Ø 2.2 mm, packaging 4 pieces		046.712V4
Template Fixation Pin		T-Sleeve for Template Fixation Pin	Ti	034.283

## Guided Implant Drivers

Product	Image	Description	Material	Art.-No.
<b>Implant Drivers</b>				
TorcFit™ Guided Implant Driver		for Ratchet, guided, screw-retained	Stainless steel	066.4401
		for handpiece, guided		066.4403
		for Ratchet, guided		066.4404
Stop Key				034.006










## Implant Bed Preparation Instruments















Product	Image	Description	Material	Art.-No.
Guided Milling Cutters				
Milling Cutter		guided, Ø 2.2 mm	Stainless steel	026.0144
Milling Cutter		guided, length 32.5 mm, Ø 2.8 mm		034.215
		guided, length 32.5 mm, Ø 3.5 mm		034.415
		guided, length 32.5 mm, Ø 4.2 mm		034.615
Mucosa Punch		guided, length 30 mm, Ø 3.4 mm		034.010
		guided, length 30 mm, Ø 4 mm		034.011
		guided, length 30 mm, Ø 4.7 mm		034.012
Guided X VeloDrill™				
X Pilot VeloDrill™		short, Ø 2.2 mm, length 34 mm	Stainless steel	066.1301
X VeloDrill™		short, Ø 2.8 mm, length 34 mm		066.1302
		short, Ø 3.2 mm, length 34 mm		066.1303
		short, Ø 3.5 mm, length 34 mm		066.1304
		short, Ø 3.7 mm, length 34 mm		066.1305
		short, Ø 4.2 mm, length 34 mm		066.1306
		short, Ø 4.7 mm, length 34 mm		066.1307
		short, Ø 5.2 mm, length 34 mm		066.1308
		short, Ø 6.2 mm, length 34 mm		066.1309
X Pilot VeloDrill™		medium, Ø 2.2 mm, length 38 mm		066.1501
X VeloDrill™		medium, Ø 2.8 mm, length 38 mm		066.1502
		medium, Ø 3.2 mm, length 38 mm		066.1503
		medium, Ø 3.5 mm, length 38 mm		066.1504
		medium, Ø 3.7 mm, length 38 mm		066.1505
		medium, Ø 4.2 mm, length 38 mm		066.1506



## Implant Bed Preparation Instruments

















Product	Image	Description	Material	Art.-No.
X Pilot VeloDrill™		long, Ø 2.2 mm, length 42 mm	Stainless steel	066.1701
X VeloDrill™		long, Ø 2.8 mm, length 42 mm		066.1702
		long, Ø 3.2 mm, length 42 mm		066.1703
		long, Ø 3.5 mm, length 42 mm		066.1704
		long, Ø 3.7 mm, length 42 mm		066.1705
		long, Ø 4.2 mm, length 42 mm		066.1706
		long, Ø 4.7 mm, length 42 mm		066.1707

## Auxiliary Instruments

Product	Image	Description	Material	Art.-No.
Drill Handle				
Drill Handle		self-locking, stop 1/3 mm, Ø 2.2 mm	Stainless steel	034.291
		self-locking, stop 1/3 mm, Ø 2.8 mm		034.292
		self-locking, stop 1/3 mm, Ø 3.2 mm		034.293
		self-locking, stop 1/3 mm, Ø 3.5 mm		034.294
		self-locking, stop 1/3 mm, Ø 3.7 mm		034.295
		self-locking, stop 1/3 mm, Ø 4.2 mm		034.296
Template Fixation				
Template Fixation Pin		guided, Ø 5/2.8 mm	Stainless steel	034.285
		guided, Ø 5/3.2 mm		034.286
		guided, Ø 5/3.5 mm		034.287
		guided, Ø 5/3.7 mm		034.288
		guided, Ø 5/4.2 mm		034.289
		guided, Ø 2.8/2.8 mm		034.298
	Template Fixation Pin			Drill for Template Fixation Pin, Ø 1.3 mm
		Ø 1.3 mm	Ti	034.282






## Prosthetic Tools

Product	Image	Description	Material	Art.-No.
<b>Tool</b>				
Ratchet		including Service Instruments, length 84 mm	Stainless steel	046.119
Torque Control Device		for Ratchet, length 82 mm		046.049
Cleaning Brush		for Ratchet, length 100 mm, Ø 4.5 mm, packaging 4 pieces	Stainless steel/Nylon	045.111V4
<b>SCS Screwdriver</b>				
SCS Screwdriver		for Ratchet, extra short, length 15 mm	Stainless steel	046.400
		for Ratchet, short, length 21 mm		046.401
		for Ratchet, long, length 27 mm		046.402
		for handpiece, extra-short, length 20 mm		046.410
		for handpiece, short, length 26 mm		046.411
		for handpiece, long, length 32 mm		046.412
AS Screwdriver		for Ratchet, extra-short, length 15 mm		046.786
		for Ratchet, short, length 21 mm		046.787
		for Ratchet, long, length 27 mm		046.788
		for handpiece, extra-short, length 20 mm		046.789
		for handpiece, short, length 26 mm		046.790
		for handpiece, long, length 32 mm		046.791
AS Screwdriver Handling Aid				046.792











## Prosthetic Tools

Product	Image	Description	Material	Art.-No.
<b>Tool for Bar</b>				
Activator Set		for all bar matrices, three-part, length 50 mm	Stainless steel	046.150
Deactivator		for Dolder® Bar Matrix, mini, length 66 mm	Grilon BS/ Brass	046.151
		for Dolder® Bar Matrix, standard, length 66 mm		046.152











## BLX Cassettes, Non-guided

Product	Image	Description	Material	Art.-No.
Straumann® Modular Cassette		A Module		041.761
A Module, Grommet Tray		3 small, 3 large grommets		041.764
		6 small grommets		041.762
A Module, Ratchet Tray				041.766
A Module, Tweezer Tray				041.770
A Module, Implant Depth Gauge Tray				041.771
Straumann® Modular Cassette		B Module		041.776
B Module, Fully Tapered Tray				041.777










## BLX Cassettes, Guided

Product	Image	Description	Material	Art.-No.
Straumann® Modular Cassette		A Module		041.761
A Module, Grommet Tray		3 small, 3 large grommets		041.764
A Module, Ratchet Tray				041.766
A Module, Stop Key Tray				041.768
A Module, Implant Depth Gauge Tray				041.771
Straumann® Modular Cassette		B Module		041.776
B Module, Guided Fully Tapered Tray				041.780
Straumann® Modular Cassette		C Module, Guided Surgery		041.772



## Auxiliary Instruments

Product	Image	Description	Material	Art.-No.
A Module, Grommet Tray		6 small grommets		041.762
		6 large grommets		041.763
		3 medium, 3 large grommets		041.765
A Module, Tweezer Tray				041.770
Straumann® Modular Cassette		C Module, Spare Tools		041.773
Ultrasonic Mat				041.774
Spare Label Plate				041.775









#### Information and Index:

For a quick and easy overview, you can find all Straumann products listed by item number with the corresponding page numbers. Furthermore, you can find important advice and additional information on Straumann and Straumann products.



## Index by item number

Art.No.	Article	Page
023.0028	Variobase® for Bridge/Bar Cylindrical Coping, f. Screw-ret. Abut. Ø 4.6mm, incl. screw and Cement. Aid, Ø 5.1mm, AH 4mm, TAN	21
023.4747	Coping for screw-retained abutment, Ti, Crown, Ø 4.6mm	21
023.4748	Burn-out coping for screw-retained abutment, POM, Crown, Ø 4.6mm	21
023.4751	Coping for screw-retained abutment, Ti, Bridge, Ø 4.6mm	21
023.4752	Coping for screw-retained abutment, Ti, Bar, Ø 4.6mm	23
023.4753	Coping for screw-retained abutment, Crown, Ø 4.6mm, Ceramicor®/POM	21
023.4754	Coping for screw-retained abutment, Bridge, Ø 4.6mm, Ceramicor®/POM	21
023.4755	Coping for screw-retained abutment, Bar, Ø 4.6mm, Ceramicor®	22
023.4756	Analog for screw-retained abutment, TAN, straight 0°, Ø 4.6mm	20
023.4757	Analog for screw-retained abutment, TAN, angled 17°/30°, Ø 4.6mm	20
023.4758	Burn-out coping f. screw-retained abut., POM, Bridge/Bar, Ø 4.6mm	21, 24
023.4763	Occlusal screw, TAN, for coping, screw-retained abutment	17, 19, 21, 22, 23, 24
024.4323-04	Protective cap for screw-retained abutment, Ø 4.6mm, H 5.1mm, PEEK/TAN	20
024.4324-04	Protective cap for screw-retained abutment, Ø 4.6mm, H 6.6mm, PEEK/TAN	20
024.4325-04	Protective cap for screw-retained abutment, Ø 4.6mm, H 8.1mm, PEEK/TAN	20
025.0001	CARES® Mono Scanbody for screw-retained abutment, abutment level, Ø 4.6mm, PEEK/TAN	20
025.0005	Polishing Aid, for Screw-retained Abutments Ø 4.6mm, TAN	20
025.0005V4	Polishing Aid, for Screw-retained Abutments Ø 4.6mm, TAN	20
025.0006	Lab Processing Screw, for Screw-retained Abutments, stainless steel	20
025.0008	Repositionable Analog, stainless steel, for Screw-retained Abutments Ø 4.6 mm	20
025.0009	Transfer and Alignment Pin, for Screw-retained Abutments, TAN	20
025.0012	Impression Post f. open tray f. screw-ret. abut., abut. level, Ø 4.6mm, non-engaging, TAN	20
025.0014	Impression Post f. closed tray f. screw-ret. abut., abut. level, Ø 4.6mm, non-engaging, TAN/POM	20
025.0050	Analog for Screw-retained Abutments, edentulous, straight 0°, Ø 4.6mm, TAN	20
025.0052	Lab Processing Screw, for Screw-retained Abutments, L 10mm, stainless steel	20
025.2244	Impression post for open tray, TAN, for screw-ret. abut., abut. level, 0°, D 4.6mm	20
025.2246	Impression post for closed tray, abutment level, for screw-retained abutment, D 4.6mm, TAN/POM	20
026.0016	Straumann® Planning Guide	20
026.0022	BL Bone Profiler 1, Ø 5.2mm, L 23mm, stainless steel	38
026.0023	BL Bone Profiler 2, Ø 6.6mm, L 23mm, stainless steel	38
026.0024	BL Bone Profiler 3, Ø 6mm, L 23mm, stainless steel	38
026.0054	Needle Drill, short, Ø 1.6mm, L 33mm, stainless steel	37
026.0056	Needle Drill, long, Ø 1.6mm, L 41mm, stainless steel	37
026.0144	Milling cutter, Ø 2.2mm, guided, stainless steel	42
034.006	Stop key for guided implants, S/SP/TE/BL, stainless steel	41
034.010	Mucosa punch Ø 3.4mm, guided, L 30mm, stainless steel	42
034.011	Mucosa punch Ø 4.0mm, guided, L 30mm, stainless steel	42
034.012	Mucosa punch Ø 4.7mm, guided, L 30mm, stainless steel	42
034.055V4	T-sleeve, Ø 2.8mm, H 6mm, guided, stainless steel	41
034.215	Milling cutter, Ø 2.8mm, guided, L 32.5mm, stainless steel	42
034.282	Template Fixation Pin, Ø 1.3mm, Ti	43
034.283	T-Sleeve for Template Fixation Pin, Ti	41
034.284	Drill for Template Fixation Pin, Ø 1.3mm, stainless steel	43
034.285	Template Fixation Pin, Ø 5/2.8mm, guided, stainless steel	43
034.286	Template Fixation Pin, Ø 5/3.2mm, guided, stainless steel	43
034.287	Template Fixation Pin, Ø 5/3.5mm, guided, stainless steel	43
034.288	Template Fixation Pin, Ø 5/3.7mm, guided, stainless steel	43
034.289	Template Fixation Pin, Ø 5/4.2mm, guided, stainless steel	43
034.291	Drill handle, self-locking, Ø 2.2mm, 1mm/3mm stop, stainless steel	43
034.292	Drill handle, self-locking, Ø 2.8mm, 1mm/3mm stop, stainless steel	43
034.293	Drill handle, self-locking, Ø 3.2mm, 1mm/3mm stop, stainless steel	43
034.294	Drill handle, self-locking, Ø 3.5mm, 1mm/3mm stop, stainless steel	43
034.295	Drill handle, self-locking, Ø 3.7mm, 1mm/3mm stop, stainless steel	43
034.296	Drill handle, self-locking, Ø 4.2mm, 1mm/3mm stop, stainless steel	43
034.298	Template Fixation Pin, Ø 2.8/2.8mm, guided, stainless steel	43
034.299V4	T-Sleeve, self-locking, guided, Ø 5mm, H 5mm, PEEK	41
034.415	Milling cutter, Ø 3.5mm, guided, L 32.5mm, stainless steel	42
034.615	Milling cutter, Ø 4.2mm, guided, L 32.5mm, stainless steel	42
040.563	Drill Extender, L 23mm, stainless steel	40
041.761	Straumann® Modular Cassette, A Module	46, 47
041.762	A Module, Grommet Tray, 6 small	46, 48
041.763	A Module, Grommet Tray, 6 large	48
041.764	A Module, Grommet Tray, 3 small, 3 large	46, 47
041.765	A Module, Grommet Tray, 3 medium 3 large	48
041.766	A Module, Ratchet Tray	46, 47
041.768	A Module, Stop Key Tray	47



## Index by item number

Art.No.	Article	Page
041.770	A Module, Tweezer Tray	46, 48
041.771	A Module, Depth Probe Tray	46, 47
041.772	Straumann® Modular Cassette, C Module, Guided Surgery	47
041.773	Straumann® Modular Cassette, C Module, Spare Tools	48
041.774	Ultrasonic Mat	48
041.775	Spare Label Plate	48
041.776	Straumann® Modular Cassette, B Module	46, 47
041.777	B Module, Fully Tapered Tray	46
041.780	B Module, Guided Fully Tapered Tray	47
045.111V4	Cleaning brush for ratchet, L 100mm, Ø 4.5mm, nylon/stainless steel	39, 44
046.049	Torque control device for ratchet, stainless steel	39, 44
046.064	Holding key, L 85mm, stainless steel	39
046.095	Tweezers with titanium plasma-coated tips, L 105mm, Ti/stainless steel	39
046.110	Instrument tweezers, L 140mm, stainless steel	39
046.119	Ratchet, including service instrument, L 84mm, stainless steel	39, 44
046.150	Activator set, for all bar matrices, three-part, stainless steel	24, 45
046.151	Deactivator for Dolder® Bar matrices, mini, L 66mm, Grilon BS/brass	24, 45
046.152	Deactivator for Dolder® Bar matrices, regular, L 66mm, Grilon BS/brass	24, 45
046.400	SCS Screwdriver, for ratchet, x-short, L 15mm, stainless steel	40, 44
046.401	SCS Screwdriver, for ratchet, short, L 21mm, stainless steel	40, 44
046.402	SCS Screwdriver, for ratchet, long, L 27mm, stainless steel	40, 44
046.410	SCS Screwdriver for handpiece, x-short, L 20mm, stainless steel	40, 44
046.411	SCS Screwdriver for handpiece, short, L 26mm, stainless steel	40, 44
046.412	SCS Screwdriver for handpiece, long, L 32mm, stainless steel	40, 44
046.712V4	T-sleeve, Ø 2.2mm, H 6mm, guided, stainless steel	41
046.786	AS Screwdriver for ratchet, extra-short, L 15mm, stainless steel	40, 44
046.787	AS Screwdriver for ratchet, short, L 21mm, stainless steel	40, 44
046.788	AS Screwdriver for ratchet, long, L 27mm, stainless steel	40, 44
046.789	AS Screwdriver for handpiece, extra-short, L 20mm, stainless steel	40, 44
046.790	AS Screwdriver for handpiece, short, L 26mm, stainless steel	40, 44
046.791	AS Screwdriver for handpiece, long, L 32mm, stainless steel	40, 44
046.792	Screwdriver Handling Aid AS, stainless steel	40, 44
046.799	Alignment Pin, Ø 2.2mm, L 27mm, TAN	38
046.800	Depth Gauge, Ø 2.8mm, L 27mm, TAN	38
046.801	Depth Gauge, Ø 3.2mm, L 27mm, TAN	38
046.802	Depth Gauge, Ø 3.5mm, L 27mm, TAN	38
046.803	Depth Gauge, Ø 3.7mm, L 27mm, TAN	38
046.804	Depth Gauge, Ø 4.2mm, L 27mm, TAN	38
046.805	Depth Gauge, Ø 4.7mm, L 27mm, TAN	38
046.806	Depth Gauge, Ø 5.2mm, L 27mm, TAN	38
046.807	Depth Gauge, Ø 6.2mm, L 27mm, TAN	38
048.411	Dolder® bar, egg-shaped cross-section, mini, H 2.3 mm, L 25 mm, Elitor®	22
048.412	Dolder® bar, egg-shaped cross-section, regular, H 3 mm, L 25 mm, Elitor®	22
048.413	Dolder® bar matrix includes spacer, mini, H 2.75 mm, L 25 mm, Elitor®/brass	22
048.414	Dolder® bar matrix includes spacer, regular, H 3.5mm, L 25mm, Elitor®/brass	22
048.460	Plastic bar, egg-shaped cross-section, regular, H 3mm, L 80mm, PMMA	24
048.461	Plastic bar, egg-shaped cross-section, mini, H 2.3mm, L 80mm, PMMA	24
048.465	Titanium bar, egg-shaped cross-section, regular, H 3 mm, L 50 mm, Ti	23
048.466	Titanium bar, egg-shaped cross-section, mini, H 2,3 mm, L 50 mm, Ti	23
048.470	Titanium bar matrix, incl. spacer, regular, H 4.5 mm, L 50 mm, Ti/brass	23, 24
048.471	Titanium bar matrix incl. spacer, mini, H 2.9 mm, L 50 mm, Ti/brass	23, 24
049.076V4	X-ray reference sphere, Ø 5.0mm, stainless steel	36
061.3308	BLX Implant, Ø 3.5mm RB, SLActive® 8mm, Roxolid®	6
061.3310	BLX Implant, Ø 3.5mm RB, SLActive® 10mm, Roxolid®	6
061.3312	BLX Implant, Ø 3.5mm RB, SLActive® 12mm, Roxolid®	6
061.3314	BLX Implant, Ø 3.5mm RB, SLActive® 14mm, Roxolid®	6
061.3316	BLX Implant, Ø 3.5mm RB, SLActive® 16mm, Roxolid®	6
061.3318	BLX Implant, Ø 3.5mm RB, SLActive® 18mm, Roxolid®	6
061.3508	BLX Implant, Ø 3.5mm RB, SLA® 8mm, Roxolid®	7
061.3510	BLX Implant, Ø 3.5mm RB, SLA® 10mm, Roxolid®	7
061.3512	BLX Implant, Ø 3.5mm RB, SLA® 12mm, Roxolid®	7
061.3514	BLX Implant, Ø 3.5mm RB, SLA® 14mm, Roxolid®	7
061.3516	BLX Implant, Ø 3.5mm RB, SLA® 16mm, Roxolid®	7
061.3518	BLX Implant, Ø 3.5mm RB, SLA® 18mm, Roxolid®	7
061.4306	BLX Implant, Ø 3.75mm RB, SLActive® 6mm, Roxolid®	6
061.4308	BLX Implant, Ø 3.75mm RB, SLActive® 8mm, Roxolid®	6



Index by item number

Art.No.	Article	Page
061.4310	BLX Implant, Ø 3.75mm RB, SLActive® 10mm, Roxolid®	6
061.4312	BLX Implant, Ø 3.75mm RB, SLActive® 12mm, Roxolid®	6
061.4314	BLX Implant, Ø 3.75mm RB, SLActive® 14mm, Roxolid®	6
061.4316	BLX Implant, Ø 3.75mm RB, SLActive® 16mm, Roxolid®	6
061.4318	BLX Implant, Ø 3.75mm RB, SLActive® 18mm, Roxolid®	6
061.4506	BLX Implant, Ø 3.75mm RB, SLA® 6mm, Roxolid®	7
061.4508	BLX Implant, Ø 3.75mm RB, SLA® 8mm, Roxolid®	7
061.4510	BLX Implant, Ø 3.75mm RB, SLA® 10mm, Roxolid®	7
061.4512	BLX Implant, Ø 3.75mm RB, SLA® 12mm, Roxolid®	7
061.4514	BLX Implant, Ø 3.75mm RB, SLA® 14mm, Roxolid®	7
061.4516	BLX Implant, Ø 3.75mm RB, SLA® 16mm, Roxolid®	7
061.4518	BLX Implant, Ø 3.75mm RB, SLA® 18mm, Roxolid®	7
061.5306	BLX Implant, Ø 4.0mm RB, SLActive® 6mm, Roxolid®	6
061.5308	BLX Implant, Ø 4.0mm RB, SLActive® 8mm, Roxolid®	6
061.5310	BLX Implant, Ø 4.0mm RB, SLActive® 10mm, Roxolid®	6
061.5312	BLX Implant, Ø 4.0mm RB, SLActive® 12mm, Roxolid®	6
061.5314	BLX Implant, Ø 4.0mm RB, SLActive® 14mm, Roxolid®	6
061.5316	BLX Implant, Ø 4.0mm RB, SLActive® 16mm, Roxolid®	6
061.5318	BLX Implant, Ø 4.0mm RB, SLActive® 18mm, Roxolid®	6
061.5506	BLX Implant, Ø 4.0mm RB, SLA® 6mm, Roxolid®	7
061.5508	BLX Implant, Ø 4.0mm RB, SLA® 8mm, Roxolid®	7
061.5510	BLX Implant, Ø 4.0mm RB, SLA® 10mm, Roxolid®	7
061.5512	BLX Implant, Ø 4.0mm RB, SLA® 12mm, Roxolid®	7
061.5514	BLX Implant, Ø 4.0mm RB, SLA® 14mm, Roxolid®	7
061.5516	BLX Implant, Ø 4.0mm RB, SLA® 16mm, Roxolid®	7
061.5518	BLX Implant, Ø 4.0mm RB, SLA® 18mm, Roxolid®	7
061.6306	BLX Implant, Ø 4.5mm RB, SLActive® 6mm, Roxolid®	6
061.6308	BLX Implant, Ø 4.5mm RB, SLActive® 8mm, Roxolid®	6
061.6310	BLX Implant, Ø 4.5mm RB, SLActive® 10mm, Roxolid®	6
061.6312	BLX Implant, Ø 4.5mm RB, SLActive® 12mm, Roxolid®	6
061.6314	BLX Implant, Ø 4.5mm RB, SLActive® 14mm, Roxolid®	6
061.6316	BLX Implant, Ø 4.5mm RB, SLActive® 16mm, Roxolid®	6
061.6318	BLX Implant, Ø 4.5mm RB, SLActive® 18mm, Roxolid®	6
061.6506	BLX Implant, Ø 4.5mm RB, SLA® 6mm, Roxolid®	7
061.6508	BLX Implant, Ø 4.5mm RB, SLA® 8mm, Roxolid®	7
061.6510	BLX Implant, Ø 4.5mm RB, SLA® 10mm, Roxolid®	7
061.6512	BLX Implant, Ø 4.5mm RB, SLA® 12mm, Roxolid®	7
061.6514	BLX Implant, Ø 4.5mm RB, SLA® 14mm, Roxolid®	7
061.6516	BLX Implant, Ø 4.5mm RB, SLA® 16mm, Roxolid®	7
061.6518	BLX Implant, Ø 4.5mm RB, SLA® 18mm, Roxolid®	7
061.7306	BLX Implant, Ø 5.0mm WB, SLActive® 6mm, Roxolid®	8
061.7308	BLX Implant, Ø 5.0mm WB, SLActive® 8mm, Roxolid®	8
061.7310	BLX Implant, Ø 5.0mm WB, SLActive® 10mm, Roxolid®	8
061.7312	BLX Implant, Ø 5.0mm WB, SLActive® 12mm, Roxolid®	8
061.7314	BLX Implant, Ø 5.0mm WB, SLActive® 14mm, Roxolid®	8
061.7316	BLX Implant, Ø 5.0mm WB, SLActive® 16mm, Roxolid®	8
061.7318	BLX Implant, Ø 5.0mm WB, SLActive® 18mm, Roxolid®	8
061.7506	BLX Implant, Ø 5.0mm WB, SLA® 6mm, Roxolid®	9
061.7508	BLX Implant, Ø 5.0mm WB, SLA® 8mm, Roxolid®	9
061.7510	BLX Implant, Ø 5.0mm WB, SLA® 10mm, Roxolid®	9
061.7512	BLX Implant, Ø 5.0mm WB, SLA® 12mm, Roxolid®	9
061.7514	BLX Implant, Ø 5.0mm WB, SLA® 14mm, Roxolid®	9
061.7516	BLX Implant, Ø 5.0mm WB, SLA® 16mm, Roxolid®	9
061.7518	BLX Implant, Ø 5.0mm WB, SLA® 18mm, Roxolid®	9
061.8306	BLX Implant, Ø 5.5mm WB, SLActive® 6mm, Roxolid®	8
061.8308	BLX Implant, Ø 5.5mm WB, SLActive® 8mm, Roxolid®	8
061.8310	BLX Implant, Ø 5.5mm WB, SLActive® 10mm, Roxolid®	8
061.8312	BLX Implant, Ø 5.5mm WB, SLActive® 12mm, Roxolid®	8
061.8506	BLX Implant, Ø 5.5mm WB, SLA® 6mm, Roxolid®	9
061.8508	BLX Implant, Ø 5.5mm WB, SLA® 8mm, Roxolid®	9
061.8510	BLX Implant, Ø 5.5mm WB, SLA® 10mm, Roxolid®	9
061.8512	BLX Implant, Ø 5.5mm WB, SLA® 12mm, Roxolid®	9
061.9306	BLX Implant, Ø 6.5mm WB, SLActive® 6mm, Roxolid®	8
061.9308	BLX Implant, Ø 6.5mm WB, SLActive® 8mm, Roxolid®	8
061.9310	BLX Implant, Ø 6.5mm WB, SLActive® 10mm, Roxolid®	8
061.9312	BLX Implant, Ø 6.5mm WB, SLActive® 12mm, Roxolid®	8



## Index by item number

Art.No.	Article	Page
061.9506	BLX Implant, Ø 6.5mm WB, SLA® 6mm, Roxolid®	9
061.9508	BLX Implant, Ø 6.5mm WB, SLA® 8mm, Roxolid®	9
061.9510	BLX Implant, Ø 6.5mm WB, SLA® 10mm, Roxolid®	9
061.9512	BLX Implant, Ø 6.5mm WB, SLA® 12mm, Roxolid®	9
062.4103	RB/WB Anatomic Abutment, straight, GH 2.5mm, TAN	15
062.4104	RB/WB Anatomic Abutment, straight, GH 3.5mm, TAN	15
062.4153	RB/WB Anatomic Abutment, angled 17°, GH 2.5mm, TAN	15
062.4154	RB/WB Anatomic Abutment, angled 17°, GH 3.5mm, TAN	15
062.4410	RB/WB Gold Abutment, for Crown, Ø 3.8mm, GH 1.5mm, Ceramicor®/POM	16
062.4420	RB/WB Gold Abutment, for Crown, Ø 4.5mm, GH 1.5mm, Ceramicor®/POM	16
062.4430	RB/WB Gold Abutment, for Bridge, Ø 4.5mm, GH 1.5mm, Ceramicor®/POM	16
062.4501	RB/WB Novaloc® ADLC, straight 0°, Ø 3.8mm, GH 1.5mm, TAV	26
062.4502	RB/WB Novaloc® ADLC, straight 0°, Ø 3.8mm, GH 2.5mm, TAV	26
062.4503	RB/WB Novaloc® ADLC, straight 0°, Ø 3.8mm, GH 3.5mm, TAV	26
062.4504	RB/WB Novaloc® ADLC, straight 0°, Ø 3.8mm, GH 4.5mm, TAV	26
062.4505	RB/WB Novaloc® ADLC, straight 0°, Ø 3.8mm, GH 5.5mm, TAV	26
062.4506	RB/WB Novaloc® ADLC, straight 0°, Ø 3.8mm, GH 6.5mm, TAV	26
062.4507	RB/WB Novaloc® ADLC, angled 15°, Ø 3.8mm, GH 2.5mm, TAV	26
062.4508	RB/WB Novaloc® ADLC, angled 15°, Ø 3.8mm, GH 3.5mm, TAV	26
062.4509	RB/WB Novaloc® ADLC, angled 15°, Ø 3.8mm, GH 4.5mm, TAV	26
062.4510	RB/WB Novaloc® ADLC, angled 15°, Ø 3.8mm, GH 5.5mm, TAV	26
062.4511	RB/WB Novaloc® ADLC, angled 15°, Ø 3.8mm, GH 6.5mm, TAV	26
062.4512	RB/WB Novaloc® ADLC, angled 15°, Ø 3.8mm, GH 7.5mm, TAV	26
062.4601	RB/WB Pre-milled Abutment Blank, for Medentika Holder, Ø 11.5mm, TAN	25
062.4602	RB/WB Pre-milled Abutment Blank, for Medentika Holder, Ø 15.8mm, TAN	25
062.4603	RB/WB Pre-milled Abutment Blank, for CARES®, Ø 12mm, TAN	25
062.4605	WB Pre-milled Abutment Blank, for Medentika Holder, Ø 11.5mm, TAN	33
062.4606	WB Pre-milled Abutment Blank, for Medentika Holder, Ø 15.8mm, TAN	33
062.4607	WB Pre-milled Abutment Blank, for CARES®, Ø 12mm, TAN	33
062.4722S	RB/WB Screw-ret. Abut., straight, Ø 4.6mm, GH 1.5mm, TAN	19
062.4723S	RB/WB Screw-ret. Abut., straight, Ø 4.6mm, GH 2.5mm, TAN	19
062.4724S	RB/WB Screw-ret. Abut., straight, Ø 4.6mm, GH 3.5mm, TAN	19
062.4725S	RB/WB Screw-ret. Abut., straight, Ø 4.6mm, GH 4.5mm, TAN	19
062.4733S	RB/WB Screw-ret. Abut., angled 17°, Ø 4.6mm, GH 3.5mm, TAN	19
062.4734S	RB/WB Screw-ret. Abut., angled 17°, Ø 4.6mm, GH 4.5mm, TAN	19
062.4735S	RB/WB Screw-ret. Abut., angled 17°, Ø 4.6mm, GH 5.5mm, TAN	19
062.4743S	RB/WB Screw-ret. Abut., angled 30°, Ø 4.6mm, GH 3.5mm, TAN	19
062.4744S	RB/WB Screw-ret. Abut., angled 30°, Ø 4.6mm, GH 4.5mm, TAN	19
062.4745S	RB/WB Screw-ret. Abut., angled 30°, Ø 4.6mm, GH 5.5mm, TAN	19
062.4934	RB/WB Variobase® for Crown, incl. screw, Ø 3.8mm, GH 1.5mm, AH 5.5mm, TAN	18
062.4935	RB/WB Variobase® for Crown, incl. screw, Ø 3.8mm, GH 2.5mm, AH 5.5mm, TAN	18
062.4936	RB/WB Variobase® for Crown, incl. screw, Ø 3.8mm, GH 3.5mm, AH 5.5mm, TAN	18
062.4944	RB/WB Variobase® for Crown, incl. screw, Ø 4.5mm, GH 1.5mm, AH 5.5mm, TAN	18
062.4945	RB/WB Variobase® for Crown, incl. screw, Ø 4.5mm, GH 2.5mm, AH 5.5mm, TAN	18
062.4946	RB/WB Variobase® for Crown, incl. screw, Ø 4.5mm, GH 3.5mm, AH 5.5mm, TAN	18
062.4953	WB Variobase® for Crown, incl. screw, Ø 5.5mm, GH 0.75mm, AH 5.5mm, TAN	31
062.4954	WB Variobase® for Crown, incl. screw, Ø 5.5mm, GH 1.5mm, AH 5.5mm, TAN	31
062.4961	RB/WB Variobase® for Bridge/Bar Cylindrical, incl. screw and Cement. Aid, Ø 4.5mm, GH 1.5 mm, AH 3.5mm, TAN/POM	18
062.4971	WB Variobase® for Crown AS, incl. screw, Ø 5.5mm, AH 5.5mm, GH 1.5mm, TAN	31
062.4972	WB Variobase® for Crown AS, incl. screw, Ø 4.5mm, AH 5.5mm, GH 1.5mm, TAN	18
062.4981	RB/WB Variobase® C, Ø 3.8mm, GH 1.5mm, TAN	18
062.4982	RB/WB Variobase® C, Ø 4.5mm, GH 1.5mm, TAN	18
062.4983	WB Variobase® C, Ø 5.5mm, GH 1.5mm, TAN	31
062.8410	WB Gold Abutment, for Crown, Ø 5.5mm, GH 1.5mm, Ceramicor®/POM	32
064.4100S	RB Closure Cap, H 0.4mm, Ti	7
064.4202S	RB/WB Healing Abutment, Crown, Ø 4mm, GH 1.5mm, AH 2mm, Ti	13
064.4203S	RB/WB Healing Abutment, Crown, Ø 4mm, GH 1.5mm, AH 4mm, Ti	13
064.4204S	RB/WB Healing Abutment, Crown, Ø 4mm, GH 2.5mm, AH 2mm, Ti	13
064.4205S	RB/WB Healing Abutment, Crown, Ø 4mm, GH 2.5mm, AH 4mm, Ti	13
064.4206S	RB/WB Healing Abutment, Crown, Ø 4mm, GH 3.5mm, AH 2mm, Ti	13
064.4207S	RB/WB Healing Abutment, Crown, Ø 4mm, GH 3.5mm, AH 4mm, Ti	13
064.4212S	RB/WB Healing Abutment, Crown, Ø 5mm, GH 1.5mm, AH 2mm, Ti	13
064.4213S	RB/WB Healing Abutment, Crown, Ø 5mm, GH 1.5mm, AH 4mm, Ti	13
064.4214S	RB/WB Healing Abutment, Crown, Ø 5mm, GH 2.5mm, AH 2mm, Ti	13
064.4215S	RB/WB Healing Abutment, Crown, Ø 5mm, GH 2.5mm, AH 4mm, Ti	13
064.4216S	RB/WB Healing Abutment, Crown, Ø 5mm, GH 3.5mm, AH 2mm, Ti	13





## Index by item number

Art.No.	Article	Page
064.42175	RB/WB Healing Abutment, Crown, Ø 5mm, GH 3.5mm, AH 4mm, Ti	13
064.42225	RB/WB Healing Abutment, Crown, Ø 6.5mm, GH 1.5mm, AH 2mm, Ti	14
064.42235	RB/WB Healing Abutment, Crown, Ø 6.5mm, GH 1.5mm, AH 4mm, Ti	14
064.42245	RB/WB Healing Abutment, Crown, Ø 6.5mm, GH 2.5mm, AH 2mm, Ti	14
064.42255	RB/WB Healing Abutment, Crown, Ø 6.5mm, GH 2.5mm, AH 4mm, Ti	14
064.42265	RB/WB Healing Abutment, Crown, Ø 6.5mm, GH 3.5mm, AH 2mm, Ti	14
064.42275	RB/WB Healing Abutment, Crown, Ø 6.5mm, GH 3.5mm, AH 4mm, Ti	14
064.42325	RB/WB Healing Abutment, Bridge/Bar, Ø 5mm, GH 1.5mm, AH 2mm, Ti	14
064.42335	RB/WB Healing Abutment, Bridge/Bar, Ø 5mm, GH 1.5mm, AH 4mm, Ti	14
064.4352	RB/WB Temporary Abutment, Bridge, Ø 4.5mm, GH 1.5mm, AH 5.5mm, TAN	15
064.4362	RB/WB Temporary Abutment, for crown, Ø 3.8mm, GH 1.5mm, TAN	15
064.4363	RB/WB Temporary Abutment, for crown, Ø 3.8mm, GH 2.5mm, TAN	15
064.4364	RB/WB Temporary Abutment, Crown, Ø 3.8mm, GH 3.5mm, TAN	15
064.4372	RB/WB Temporary Abutment, for crown, Ø 4.5mm, GH 1.5mm, TAN	15
064.4373	RB/WB Temporary Abutment, for crown, Ø 4.5mm, GH 2.5mm, TAN	15
064.4374	RB/WB Temporary Abutment, Crown, Ø 4.5mm, GH 3.5mm, TAN	15
064.4382	RB/WB Temporary Abutment, for crown, Ø 6mm, GH 2.5mm, TAN	15
064.4383	RB/WB Temporary Abutment, for crown, Ø 6mm, GH 3.5mm, TAN	15
064.4391	WB Temporary Abutment, for crown, Ø 5.5mm, GH 0.75mm, TAN	31
064.4392	WB Temporary Abutment, for crown, Ø 5.5mm, GH 1.5mm, TAN	31
064.81025	WB Closure Cap, H 0.5mm, Ti	9
064.82015	WB Healing Abutment, Ø 6mm, GH 0.75mm, AH 2mm, Ti	30
064.82025	WB Healing Abutment, Ø 6mm, GH 0.75mm, AH 4mm, Ti	30
064.82035	WB Healing Abutment, Ø 7.5mm, GH 0.75mm, AH 2mm, Ti	30
064.82045	WB Healing Abutment, Ø 7.5mm, GH 0.75mm, AH 4mm, Ti	30
064.82125	WB Healing Abutment, Ø 6mm, GH 1.5mm, AH 2mm, Ti	30
064.82135	WB Healing Abutment, Ø 6mm, GH 1.5mm, AH 4mm, Ti	30
064.82145	WB Healing Abutment, Ø 7.5mm, GH 1.5mm, AH 2mm, Ti	30
064.82155	WB Healing Abutment, Ø 7.5mm, GH 1.5mm, AH 4mm, Ti	30
065.0000	X-ray Reference Foil, for BLX Implants	36
065.0007	RB/WB Abutment-Removal Screw, TAN	40
065.0008	Removal Tool, for BLX Basal Screw, left-hand, L 27mm, stainless steel	40
065.0009	Removal Tool, for BLX Basal Screw, left-hand, L 21mm, stainless steel	40
065.0014	RB/WB Burn-out Coping, for Variobase® for Crown, Ø 3.8mm, AH 5.5mm, POM	18
065.0015	RB/WB Burn-out Coping, for Variobase® for Crown, Ø 4.5mm, AH 5.5mm, POM	18
065.0016	WB Burn-out Coping, for Variobase® for Crown, Ø 5.5mm, AH 5.5mm, POM	31
065.0017	RB/WB Burn-out Coping, for Variobase® for Bridge/Bar, Ø 4.5mm, AH 3.5mm, POM	18
065.0017V4	RB/WB Burn-out Coping, for Variobase® for Bridge/Bar, Ø 4.5mm, AH 3.5mm, POM	18
065.0018	RB/WB Burn-out Coping, for Variobase® for Crown AS, 25°, Ø 4.5mm, AH 5.5mm, POM	18
065.0019	WB Burn-out Coping, for Variobase® for Crown AS, 25°, Ø 5.5mm, AH 5.5mm, POM	31
065.0021	RB Implant Analog, L 12mm, TAN	12
065.0022	WB Implant Analog, L 12mm, TAN	29
065.0023	RB Repositionable Implant Analog, stainless steel	12
065.0024	WB Repositionable Implant Analog, stainless steel	29
065.0031	RB Impression Post Open Tray, short, incl. guide screw, L 16.5mm, TAN	12
065.0032	WB Impression Post Open Tray, short, incl. guide screw, L 16.5mm, TAN	29
065.0033	RB Impression Post Open Tray, long, incl. guide screw, L 24mm, TAN	12
065.0034	WB Impression Post Open Tray, long, incl. guide screw, L 24mm, TAN	29
065.0035	CARES® RB/WB Mono Scanbody, Ø 3.8mm, H 10mm PEEK/TAN	12, 29
065.0036	RB/WB Basal Screw, TAN	15, 16, 17, 18, 19, 25, 26, 31, 31, 32, 33
065.0037	RB/WB Basal Screw AS, L 6.5mm, TAN	17, 18, 31
065.0038	ScanPost S RB/WB L, TAN	12, 29
065.4310	RB Impression Post Closed Tray, incl. guide screw, L 13mm, TAN	12
065.4810	WB Impression Post Closed Tray, incl. guide screw, L 13mm, TAN	29
066.00255	BLX Guiding Cylinder for Bone Profiler, Ø 2.9mm, L 10.8mm, TAN	38
066.1100	BLX Torque Control Device, for Ratchet, surgical, stainless steel	39
066.1301	X Pilot VeloDrill, guided, Ø 2.2mm, short, stainless steel	37, 42
066.1302	X VeloDrill, guided, Ø 2.8mm, short, stainless steel	37, 42
066.1303	X VeloDrill, guided, Ø 3.2mm, short, stainless steel	37, 42
066.1304	X VeloDrill, guided, Ø 3.5mm, short, stainless steel	37, 42
066.1305	X VeloDrill, guided, Ø 3.7mm, short, stainless steel	37, 42
066.1306	X VeloDrill, guided, Ø 4.2mm, short, stainless steel	37, 42
066.1307	X VeloDrill, guided, Ø 4.7mm, short, stainless steel	37, 42
066.1308	X VeloDrill, guided, Ø 5.2mm, short, stainless steel	37, 42
066.1309	X VeloDrill, guided, Ø 6.2mm, short, stainless steel	37, 42





## Index by item number

Art.No.	Article	Page
066.1501	X Pilot VeloDrill, guided, Ø 2.2mm, medium, stainless steel	42
066.1502	X VeloDrill, guided, Ø 2.8mm, medium, stainless steel	42
066.1503	X VeloDrill, guided, Ø 3.2mm, medium, stainless steel	42
066.1504	X VeloDrill, guided, Ø 3.5mm, medium, stainless steel	42
066.1505	X VeloDrill, guided, Ø 3.7mm, medium, stainless steel	42
066.1506	X VeloDrill, guided, Ø 4.2mm, medium, stainless steel	42
066.1701	X Pilot VeloDrill, guided, Ø 2.2mm, long, stainless steel	37, 43
066.1702	X VeloDrill, guided, Ø 2.8mm, long, stainless steel	37, 43
066.1703	X VeloDrill, guided, Ø 3.2mm, long, stainless steel	37, 43
066.1704	X VeloDrill, guided, Ø 3.5mm, long, stainless steel	37, 43
066.1705	X VeloDrill, guided, Ø 3.7mm, long, stainless steel	37, 43
066.1706	X VeloDrill, guided, Ø 4.2mm, long, stainless steel	37, 43
066.1707	X VeloDrill, guided, Ø 4.7mm, long, stainless steel	37, 43
066.2000	Implant Depth Gauge, for Ø 2.2/2.8mm, TAN	38
066.4000	Surgical Handle, for TorcFit™ Implant Driver, stainless steel	39
066.4101	BLX Implant Driver for handpiece, short, L 21mm, stainless steel	39
066.4102	BLX Implant Driver for handpiece, long, L 31mm, stainless steel	39
066.4107	TorcFit™ Implant Driver for handpiece, medium, L 26mm, stainless steel	39
066.4108	TorcFit™ Implant Driver for handpiece, extra long, L 36mm, stainless steel	39
066.4201	BLX Implant Driver for ratchet, short, L 21mm, stainless steel	39
066.4202	BLX Implant Driver for ratchet, long, L 31mm, stainless steel	39
066.4205	TorcFit™ Implant Driver for ratchet, short, screw-retained, stainless steel	39
066.4206	TorcFit™ Implant Driver for ratchet, long, screw-retained, stainless steel	39
066.4207	TorcFit™ Implant Driver for ratchet, medium, L 26mm, stainless steel	39
066.4401	BLX Implant Driver, guided, for ratchet, stainless steel	41
066.4403	TorcFit™ BLX Guided Implant Driver, for handpiece, stainless steel	41
066.4404	TorcFit™ BLX Guided Implant Driver, for ratchet, stainless steel	41
2010.101-STM	Novaloc® Equipment box incl. 3 tools	28
2010.601-STM	Novaloc® Processing package titanium, 2 pieces	27
2010.611-STM	Novaloc® Processing package PEEK, 2 pieces	27
2010.701-STM	Novaloc® Matrix housing, titanium, (incl. mounting insert), 4 pieces	27
2010.702-STM	Novaloc® Matrix housing, PEEK, (incl. black mounting insert), 4 pieces	27
2010.703-STM	Novaloc® Matrix housing titanium with attachment option, (incl. black mounting insert), 4 pieces	27
2010.710-STM	Novaloc® Retention insert red, 4 pieces	27
2010.711-STM	Novaloc® Retention insert white, 4 pieces	27
2010.712-STM	Novaloc® Retention insert yellow, 4 pieces	27
2010.713-STM	Novaloc® Retention insert green, 4 pieces	27
2010.714-STM	Novaloc® Retention insert blue, 4 pieces	27
2010.715-STM	Novaloc® Retention insert black, 4 pieces	27
2010.720-STM	Model analogue, angled 15°, Al	26
2010.721-STM	Novaloc® Model analogue Ø4 blue, 4 pieces	26
2010.722-STM	Novaloc® Forming/fixing matrix, red, 4 pieces	26
2010.723-STM	Novaloc® Processing spacer, white, 4 pieces	28
2010.724-STM	Novaloc® Mounting collar, silicone, 10 pieces	28
2010.725-STM	Novaloc® Mounting insert, 4 pieces	28
2010.731-STM	Novaloc® Demounting tool for mounting inserts + model analogue reposition aid, (blue)	28
2010.741-STM	Novaloc® Mounting and demounting tool for retention inserts, (brown)	28
2010.751-STM	Novaloc® Matrix housing extractor, (grey)	28



## Notes

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



### **International Headquarters**

Institut Straumann AG

Peter Merian-Weg 12

CH-4002 Basel, Switzerland

Phone +41 (0)61 965 11 11

Fax +41 (0)61 965 11 01

[www.straumann.com](http://www.straumann.com)

© Institut Straumann AG, 2019. All rights reserved.

Straumann® and/or other trademarks and logos from Straumann® mentioned herein are the trademarks or registered trademarks of Straumann Holding AG and/or its affiliates. All rights reserved.

450.012/en/C/00 09/19