

RB/WB prosthetics – fit on RB and WB implants (∅ 3.5 mm - ∅ 6.5 mm)

• crowns with slim emergence profiles • bridges

Straumann® BLX Implant TorcFit™ Connection



RB / WB ∅ 3.5 - ∅ 6.5



WB ∅ 5.5 - ∅ 6.5



RB / WB ∅ 3.5 - ∅ 6.5



Digital



SRA Closed-tray Impression for Screw-retained Abutments ∅ 4.6 mm

Crown	025.2246
Bridge/Bar	025.0014

SRA Open-tray Impression for Screw-retained Abutments ∅ 4.6 mm

Crown	025.2244
Bridge/Bar	025.0012

SRA Analog

Abutment Analog	023.4756
-----------------	----------

Straumann® Metal Scanbody for Screw-retained Abutment ∅ 4.6 mm

025.0081

SRA Analog - Digital

Repositionable Analog	025.0008
-----------------------	----------

Temporary Abutments for Crown, AH 11 mm

GH	∅ 3.8 mm (RB/WB)	∅ 4.5 mm (RB/WB)	∅ 6.0 mm (RB/WB)	
			025.2246	025.0014
1.5 mm	064.4362	064.4372	-	
2.5 mm	064.4363	064.4373	064.4382	
3.5 mm	064.4364	064.4374	064.4383	
Incl. Screw			065.0036	

Temporary Abutments for Bridge, AH 5.0 mm


GH	∅ 4.5 mm (RB/WB)	
	1.5 mm	064.4352
Incl. Screw 065.0036		

Temporary Abutments for Crown, AH 11 mm

GH	∅ 5.5 mm (WB)	∅ 6.5 mm (WB)	
		075 mm	064.4391
1.5 mm	064.4392	064.4392	
Incl. Screw			065.0036

Temporary Abutments for Bridge, AH 5.0 mm

GH	∅ 4.5 mm (RB/WB)	
	1.5 mm	064.4352
Incl. Screw 065.0036		



Variobase* for Crown, AH 5.5 mm

GH	∅ 3.8 mm (RB/WB)		∅ 4.5 mm (RB/WB)	
	1.5 mm	062.4934	062.4944	062.4945
2.5 mm	062.4935	062.4945	062.4946	062.4946
3.5 mm	062.4936	062.4936	062.4946	062.4946
Incl. Screw 065.0036				

Variobase* for Bridge/Bar Cylindrical, AH 3.5 mm

GH	∅ 4.5 mm (RB/WB)	
	1.5 mm	062.4961
Incl. Screw 065.0036		

Burn-out Copings for Variobase* for Crown


GH	∅ 3.8 mm (RB/WB)		∅ 4.5 mm (RB/WB)	
	1.5 mm	065.0014	065.0015	065.0016
Incl. Screw 065.0036				

Burn-out Coping for Variobase* for Bridge/Bar Cylindrical

GH	∅ 4.5 mm (RB/WB)	
	1.5 mm	065.0017
Incl. Screw 065.0036		

Locator® Zest

Height	Part No.
1 mmH	02326
2 mmH	02327
3 mmH	02328
4 mmH	02329
5 mmH	02330
6 mmH	02331



AH = abutment height
GH = gingiva height
∅ = diameter
CA = abutment connector
α = angle

Plan Abutment for Screw-retained Abutments

RB/WB Plan Abutment	Material	Part No.
for Screw-retained Abutments, angulation 0°, gingiva height 1.5/2.5/3.5/4.5 mm	POM	025.0073V4
for Screw-retained Abutments, angulation 17°, gingiva height 3.5/4.5/5.5 mm		025.0074V4
for Screw-retained Abutments, angulation 30°, gingiva height 3.5/4.5/5.5 mm		025.0075V4



Variobase* for Crown AS, AH 5.5 mm

GH	∅ 4.5 mm (RB/WB)	
	1.5 mm	062.4972
Incl. Screw 065.0037		

Burn-out Coping for Variobase* for Crown AS 25°

GH	∅ 4.5 mm (RB/WB)	
	1.5 mm	065.0018
Incl. Screw 065.0036		

Variobase* C for Sirona® Cerec

GH	∅ 3.8 mm (RB/WB)		∅ 4.5 mm (RB/WB)	
	1.5 mm	062.4981	062.4982	062.4983
Incl. Screw 065.0036				

Novaloc®

Angle	∅ 3.8 mm (RB/WB)	
	0°	15°
1.5 mm	062.4501	-
2.5 mm	062.4502	062.4507
3.5 mm	062.4503	062.4508
4.5 mm	062.4504	062.4509
5.5 mm	062.4505	062.4510
6.5 mm	062.4506	062.4511
7.5 mm	-	062.4512

Processing Package titanium

2010.601-NOV

Novaloc®

2010.731-NOV
2010.741-NOV
2010.751-NOV

Processing Package PEEK

2010.611-NOV

SRA Screw-retained Abutments ∅ 4.6 mm (RB/WB)

Angle	∅ 4.6 mm (RB/WB)		
	0°	17°	30°
1.5 mm	062.4722S	-	-
2.5 mm	062.4723S	-	-
3.5 mm	062.4724S	062.4733S	062.4743S
4.5 mm	062.4725S	062.4734S	062.4744S
5.5 mm	-	062.4735S	062.4745S

SRA Burn-out Copings, Plastic ∅ 4.6 mm

Crown 023.4748
Bridge 023.4758
Incl. Screw 023.4763

SRA Protective Caps

∅	4.6 mm	
	4.5 mm	024.0020-04
5.1 mm	024.4323-04	
H	6.6 mm	024.4324-04
	8.1 mm	024.4325-04

Variobase* for Crown, AH 5.5 mm

GH	∅ 5.5 mm (WB)	
	0.75 mm	062.4953
1.5 mm	062.4954	
Incl. Screw 065.0036		

Burn-out Coping for Variobase* for Crown ∅ 5.5 mm (WB)

065.0016

Variobase* for Bridge/Bar Cylindrical, AH 3.5 mm

GH	∅ 4.5 mm (RB/WB)	
	1.5 mm	062.4961
Incl. Screw 065.0036		

Burn-out Coping for Variobase* for Bridge/Bar Cylindrical ∅ 4.5 mm (RB/WB)

065.0017

Anatomic Abutments


Angle	∅ 6.0 mm (RB/WB)	
	0°	17°
2.5 mm	062.4103	062.4153
3.5 mm	062.4104	062.4154
Incl. Screw 065.0036		

RB/WB Pre-milled Abutment Blank

∅	∅ 6.0 mm (RB/WB)	
	11.5mm	Medentika Holder
15.8mm	Medentika Holder	062.4602
12mm	Amann Girsch	062.4603
Incl. Screw 065.0036		

Handpiece Screwdrivers

046.410
046.411
046.412



SRA Titanium Copings Regular ∅ 4.6 mm

Crown 023.4747
Bridge 023.4751
Incl. Screw 023.4763

SRA Titanium Coping Slim ∅ 4.6 mm

Crown 024.0023
Bridge 024.0024
Incl. Screw 023.4763

SRA Variobase* for Bridge/ Bar Cylindrical ∅ 4.6 mm

023.0028
incl. screw 023.4763

SRA Lab Processing Screw

L 20mm	025.0006
L 10mm	025.0052

SRA Occlusal Screw

023.4763

SRA Burn-out Coping for Variobase* for Bridge/Bar Cylindrical ∅ 4.6 mm

023.0032

Variobase* for Crown AS, AH 5.5 mm

GH	∅ 5.5 mm (WB)	
	1.5 mm	062.4971
Incl. Screw 065.0037		

Burn-out Coping for Variobase* for Crown AS 25° ∅ 5.5 mm (WB)

065.0019

Burn-out Coping for Variobase* for Crown AS 25° ∅ 5.5 mm (WB)

065.0019

WB Variobase* C for Sirona® ∅ 5.5 mm (WB)

GH	∅ 5.5 mm (WB)	
	5.5 mm	062.4983
Incl. Screw 065.0036		

Abutment Basal + VB Basal Screw

065.0036

Basal Screw VB AS

065.0037

Screw - Retained

Abutment removal kit

RB/WB Abutment-Removal Screw	065.0007	
Removal Tool	for BLX Basal Screw, left-hand, length 27 mm, stainless steel	065.0008
	for BLX Basal Screw, left-hand, length 21 mm, stainless steel	065.0009

Screw - Retained

Abutment removal kit

RB/WB Abutment-Removal Screw	065.0007	
Removal Tool	for BLX Basal Screw, left-hand, length 27 mm, stainless steel	065.0008
	for BLX Basal Screw, left-hand, length 21 mm, stainless steel	065.0009

**Straumann®
BLX Implant System
System Overview
BLX SURGERY**

MRK.033.Rev.02


Roxolid® SLA®

Roxolid® SLActive®

Implant Drivers



**Closure Cap
H 0.4 mm**

Healing Abutment




Auxiliary Instruments

Ø 3.5 mm		Ø 3.75 mm		Ø 4.0 mm		Ø 4.5 mm		Ø 5.0 mm		Ø 5.5 mm		Ø 6.5 mm	
BLX RB (Regular Base) Ø 3.5 mm		BLX RB (Regular Base) Ø 3.75 mm		BLX RB (Regular Base) Ø 4.0 mm		BLX RB (Regular Base) Ø 4.5 mm		WB (Wide Base) Ø 5.0 mm		BLX WB (Wide Base) Ø 5.5 mm		BLX WB (Wide Base) Ø 6.5 mm	
6 mm	-	6 mm	061.4506	6 mm	061.5506	6 mm	061.6506	6 mm	061.7506	6 mm	061.8506	6 mm	061.9506
8 mm	061.3508	8 mm	061.4508	8 mm	061.5508	8 mm	061.6508	8 mm	061.7508	8 mm	061.8508	8 mm	061.9508
10 mm	061.3510	10 mm	061.4510	10 mm	061.5510	10 mm	061.6510	10 mm	061.7510	10 mm	061.8510	10 mm	061.9510
12 mm	061.3512	12 mm	061.4512	12 mm	061.5512	12 mm	061.6512	12 mm	061.7512	12 mm	061.8512	12 mm	061.9512
14 mm	061.3514	14 mm	061.4514	14 mm	061.5514	14 mm	061.6514	14 mm	061.7514				
16 mm	061.3516	16 mm	061.4516	16 mm	061.5516	16 mm	061.6516	16 mm	061.7516				
18 mm	061.3518	18 mm	061.4518	18 mm	061.5518	18 mm	061.6518	18 mm	061.7518				
6 mm	-	6 mm	061.4306	6 mm	061.5306	6 mm	061.6306	6 mm	061.7306	6 mm	061.8306	6 mm	061.9306
8 mm	061.3308	8 mm	061.4308	8 mm	061.5308	8 mm	061.6308	8 mm	061.7308	8 mm	061.8308	8 mm	061.9308
10 mm	061.3310	10 mm	061.4310	10 mm	061.5310	10 mm	061.6310	10 mm	061.7310	10 mm	061.8310	10 mm	061.9310
12 mm	061.3312	12 mm	061.4312	12 mm	061.5312	12 mm	061.6312	12 mm	061.7312	12 mm	061.8312	12 mm	061.9312
14 mm	061.3314	14 mm	061.4314	14 mm	061.5314	14 mm	061.6314	14 mm	061.7314				
16 mm	061.3316	16 mm	061.4316	16 mm	061.5316	16 mm	061.6316	16 mm	061.7316				
18 mm	061.3318	18 mm	061.4318	18 mm	061.5318	18 mm	061.6318	18 mm	061.7318				
		24 mm	061.4324										



Healing Abutments for Crown				Healing Abutments for Crown				Healing Abutment for Bridge RB/WB		Healing Abutment for Bridge RB/WB		Healing Abutments for Crown Wide Profile		Healing Abutments for Crown Wide Profile			
AH	Diameter (Ø)			AH	Diameter (Ø)			AH	Diameter (Ø)	AH	Diameter (Ø)	AH	Diameter (Ø)		AH	Diameter (Ø)	
2 mm	Ø 4.0 mm	Ø 5.0 mm	Ø 6.5 mm	4 mm	Ø 4.0 mm	Ø 5.0 mm	Ø 6.5 mm	2 mm	Ø 5.0 mm	4 mm	Ø 5.0 mm	2 mm	Ø 6.0 mm	Ø 7.5 mm	4 mm	Ø 6.0 mm	Ø 7.5 mm
GH				GH				GH		GH		GH			GH		
1.5 mm				1.5 mm				1.5 mm		1.5 mm		0.75 mm			0.75 mm		
2.5 mm	064.4204S	064.4214S	-														
3.5 mm	064.4206S	064.4216S	-														

Torque Control Device		066.1100	
Ratchet		046.119	
Surgical Handle (תוף)		066.4000	
Holding Key		046.064	
Implant depth gauge		066.2000	
Straumann® Planning Guide		026.0016	
BL Bone Profiler 1	Ø 5.2		026.0022
BL Bone Profiler 2	Ø 6.0		026.0023
BL Bone Profiler 3	Ø 6.6		026.0024
Guiding Pin for BLX Implants			066.0025S



International Headquarters
Institut Straumann AG
Peter Merian-Weg 12
CH-4002 Basel, Switzerland
Phone: +41 (0)61 965 11 11
Fax: +41 (0)61 965 11 01
www.straumann.com

מנושוק בישראל ע"י ה.ה. שיטות
רח' תובל 11, רמת גן
טל' משרד: 03-6138777
sales@hasystems.co.il
www.hasystems.co.il



© Institut Straumann AG, 2019. All rights reserved.
Straumann® and/or other trademarks and logos from Straumann® mentioned herein are the trademarks or registered trademarks of Straumann Holding AG and/or its affiliates. All rights reserved.

MRK.033.Rev.01